

JANE Y

CE 0082

EN 354: 2010
ANSI Z359.3-19

UK
CA
0120

EAC TPTC019/2011

Asymmetric progression lanyard
Longe de progression
asymétrique

WARNING / ATTENTION

Activities involving the use of this equipment are inherently dangerous. You are responsible for your own actions and decisions.

Before using this equipment, you must:

- Read and understand all instructions for use.
- Get specific training in its proper use.
- Become acquainted with its capabilities and limitations.
- Understand and accept the risks involved.

FAILURE TO HEED ANY OF THESE WARNINGS MAY RESULT IN SEVERE INJURY OR DEATH.

Les activités impliquant l'utilisation de cet équipement sont par nature dangereuses. Vous êtes responsable de vos actes, de vos décisions et de votre sécurité.

Avant d'utiliser cet équipement, vous devez :

- Lire et comprendre toutes les instructions d'utilisation.
- Vous former spécifiquement à l'utilisation de cet équipement.
- Vous familiariser avec votre équipement, apprendre à connaître ses performances et ses limites.
- Comprendre et accepter les risques induits.

LE NON-RESPECT D'UN SEUL DE CES AVERTISSEMENTS PEUT ÊTRE LA CAUSE DE BLESSURES GRAVES OU MORTELLES.

PETZL.COM

Latest version
Dernière version

Other languages
Autres langues

Technical tips
Conseils techniques

PPE checking
Fiche de contrôle EPI

Warning symbols
Panneaux d'alertes





PETZL
FR-38920 Crolles
Cidex 105A
PETZL.COM
ISO 9001 © Petzl
Tél. +33 (0)4 76 92 09 00



Sustaining our Community
Au service de la Communauté
FONDATION-PETZL.ORG

Traceability and markings Traçabilité et marquage




a. b. 0082
APAVE SUDEUROPE SAS
8 rue Jean-Jacques Verrazza
Z.A.C. Saumaty-Séon - CS 60193
13322 Marseille CEDEX 16 France
N°0082


e. Individual number / Numéro individuel
YY M 0000000 000
f. _____
g. _____
h. _____
i. _____

1. Field of application (text part) Champ d'application (partie texte)

2. Nomenclature




3. Inspection, points to verify Contrôle, points à vérifier




4. Compatibility Compatibilité

Standard Normes	Connector Connecteur EN 362	Connector Connecteur ANSI	Connector Connecteur EN362 + ANSI
EN 354	✓	✗	✓
ANSI Z359.3	✗	✓	✓


5. Preparation Préparation




6. Precautions for use Précautions d'utilisation




Passing an intermediate anchor /
Passage d'un fractionnement




Axes of loading for the Y-lanyard /
Axes de sollicitation de la longe en Y




7. Usage as a fall-arrest lanyard, with added energy absorber
 Usage en longe d'antichute avec ajout d'absorbeur d'énergie



**RING OPEN
 ABSORBICA**



Except lanyard parking



8. Additional information
 Informations complémentaires

A. Lifetime / Durée de vie


Serial n° / n° de série



B. Markings
 Marquage



C. Acceptable T°
 T° tolérées



D. Precautions for use / Précautions d'usage




E. Cleaning - Disinfection / Nettoyage - Désinfection



F. Drying / Séchage



G. Storage - Transport
 Stockage - transport



I. Modifications - Repairs
 Modifications - Réparations



J. FAQ - Contact
 Questions - Contact





This product is compliant with the Regulation 2016/425 on Personal Protective Equipment as brought into UK law and amended. Ce produit est conforme au règlement 2016/425 sur les équipements de protection individuelle tel que transposé en droit britannique et modifié.

Approved body performing the UKCA type examination and the production control of this PPE :

Organisme approuvé intervenant pour l'examen UKCA de type et le contrôle de production de cet EPI :

SGS United Kingdom Ltd
Inward Way
Rossmore Business Park
Ellesmere Port, Cheshire, CH65 3EN
United Kingdom
N° 0120

Authorized Representative in UK : PETZL UK Agency, Unit 3-7, Tabay Business Park, Old Tabay, Penrith, CA10 3SS, United Kingdom

EN

These instructions explain how to correctly use your equipment. Only certain techniques and uses are described. The warning symbols inform you of some potential dangers related to the use of your equipment, but it is impossible to describe them all. Check Petzl.com for updates and additional information. You are responsible for heeding each warning and using your equipment correctly. Any misuse of this equipment will create additional dangers. Contact Petzl if you have any doubts or difficulty understanding these instructions.

1. Field of application

Personal protective equipment (PPE) used for fall protection.

Asymmetric progression lanyard.

EN 354.

ANSI Z359.3 for 130-310 lbs, or 59-140 kg.

Not for use in via ferrata, or any other similar situation.

This product must not be pushed beyond its limits, nor be used for any purpose other than that for which it is designed.

Responsibility

WARNING

Activities involving the use of this equipment are inherently dangerous. You are responsible for your own actions, decisions and safety.

Before using this equipment, you must:

- Read and understand all Instructions for Use.
- Get specific training in its proper use.
- Become acquainted with its capabilities and limitations.
- Understand and accept the risks involved.

Failure to heed any of these warnings may result in severe injury or death.

This product must only be used by competent and responsible persons, or those placed under the direct and visual control of a competent and responsible person. You are responsible for your actions, your decisions and your safety and you assume the consequences of same. If you are not able, or not in a position to assume this responsibility, or if you do not fully understand the Instructions for Use, do not use this equipment.

2. Nomenclature

(1) Short arm, (2) Long arm, (3) Sewn termination with plastic sleeve, (4) Carabiner attachment hole, (5) Harness attachment hole with plastic thimble.
Principal materials: nylon, high-modulus polyethylene, polyester.

3. Inspection, points to verify

Your safety depends upon the integrity of your equipment.

Petzl recommends a detailed inspection by a competent person at least once every 12 months (depending on current regulations in your country, and your conditions of usage). Warning: your intensity of use may cause you to inspect your PPE more frequently. Follow the procedures described at Petzl.com. Record the results on your PPE inspection form: type, model, manufacturer contact info, serial number or individual number, dates: manufacture, purchase, first use, next periodic inspection; problems, comments, inspector's name and signature.

Before each use

Visually check the condition of the sheath along the entire length of the rope. Make sure there are no cuts, burns, frayed strands, fuzzy areas, or signs of chemicals... Carry out a tactile inspection of the core along the entire length of the rope, as indicated in the diagram. This allows you to detect areas where the core is damaged (hard spot, mushy area...).

Check the safety stitching at the sewn termination and the harness attachment hole: be particularly careful to check for cut or loose threads. Verify that the plastic sleeves and thimble are present and in good condition.

During use

It is important to regularly monitor the condition of the product and its connections to the other equipment in the system. Make sure that all items of equipment are correctly positioned with respect to each other.

4. Compatibility

Verify that this product is compatible with the other elements of the system in your application (compatible = good functional interaction). Equipment used with your lanyard must meet current standards in your country (e.g. EN 362 carabiners).

5. Preparation

- Put a locking carabiner into each attachment hole.
- Attach the lanyard to the harness using a RING OPEN, SWIVEL OPEN, quick link (EN 362 class Q) or OXAN with CAPTIV.
- Make sure the connector is properly positioned and locked.

6. Precautions for use

- A lanyard must not be used for the purpose of arresting falls if it has no energy absorber.
- During horizontal movement, always use two lanyard arms. See diagrams for passing an intermediate anchor.
- A wet or icy rope is weaker and less abrasion-resistant.
- Before starting work, if you think there is a risk of the lanyard coming into contact with a sharp edge, be sure to take appropriate precautions.
- Avoid areas where there is a fall risk.
- If there is a risk of falling, limit slack in the lanyard as much as possible.
- This lanyard is not designed for making choker hitches.
- Any load applied directly between the two lanyard ends can damage the connection-point stitching and endanger the user.
- Beware when using the lanyard near moving machinery or electrical hazards.

7. Usage as a fall arrest lanyard, with added energy absorber

- Warning: if this lanyard is used with an energy absorber, the total length of the assembly (energy absorber, lanyard, and connectors) must not exceed two meters.
- Do not attach the unused end of a double lanyard to the harness; doing so will prevent the energy absorber from working.

8. Additional information

- This product meets the requirements of Regulation (EU) 2016/425 on personal protective equipment. The EU declaration of conformity is available at Petzl.com.
- The melting point of high-modulus polyethylene (140° C) is lower than that of nylon and polyester.
- You must have a rescue plan and the means to rapidly implement it in case of difficulties encountered while using this equipment.
- The anchor point for the system should preferably be located above the user's position and should meet the requirements of the EN 795 standard (12 kN minimum strength) or ANSI Z359.2 depending on current regulations in your country.
- In a fall arrest system, it is essential to check the required clearance below the user before each use, in order to avoid hitting the ground or an obstacle in the event of a fall.
- Make sure that the anchor point is correctly positioned, in order to limit the risk

and the length of a fall.

- A fall arrest harness is the only device allowable for supporting the body in a fall arrest system.
- When using multiple items of equipment, a dangerous situation can arise in which the safety function of an item of equipment can be affected by the safety function of another item of equipment.
- WARNING: ensure that your products do not rub against abrasive or sharp surfaces.
- Users must be medically fit for activities at height. WARNING: inert suspension in a harness can result in serious injury or death.
- The Instructions for Use for each item of equipment used in conjunction with this product must be followed.
- The Instructions for Use must be provided to the user of this equipment, in the language of the country where the equipment is used.
- Make sure the markings on the product are legible.

When to retire your equipment:

WARNING: an exceptional event can lead you to retire a product after only one use, depending on the type and intensity of usage and the environment of usage (harsh environments, marine environments, sharp edges, extreme temperatures, chemicals...).

A product must be retired when:

- It is over 10 years old and made of plastic or textiles.
- It has been subjected to a major fall or load.
- It fails to pass inspection. You have any doubt as to its reliability.
- You do not know its full usage history.
- When it becomes obsolete due to changes in legislation, standards, technique or incompatibility with other equipment...

Destroy these products to prevent further use.

Icons:

A. Lifetime: 10 years - B. Marking - C. Acceptable temperatures - D. Usage precautions (In case of any doubt regarding contact with chemicals, contact Petzl.)
- E. Cleaning/disinfection - F. Drying - G. Storage/transport - H. Modifications/repairs (prohibited outside of Petzl facilities, except replacement parts) - **I. Questions/contact**

3-year guarantee

Against any material or manufacturing defect. Exclusions: normal wear and tear, oxidation, modifications or alterations, incorrect storage, poor maintenance, negligence, uses for which this product is not designed.

Warning symbols

1. Situation presenting an imminent risk of serious injury or death. 2. Exposure to a potential risk of accident or injury. 3. Important information on the functioning or performance of your product. 4. Equipment incompatibility.

Traceability and markings

a. Meets PPE regulatory requirements. Notified body performing the EU type examination - b. Number of the notified body responsible for the production control of this PPE - c. Traceability: datamatrix - d. Lanyard length in centimeters - e. Serial number - f. Year of manufacture - g. Month of manufacture - h. Batch number - i. Individual identifier - j. Standards - k. Read the Instructions for Use carefully - l. Model identification - m. Manufacturer address - n. Date of manufacture (month/year) - o. Material - p. Warning about fall arrest usage

