







Access the inaccessible®

For over 50 years, Petzl has been putting superior tools and technical solutions in the hands of our users, so they can level up their performance and enjoy every moment spent doing what they love outdoors. Our know-how and expertise is unmatched. It allows our communities to have unique experiences, whether they're navigating alpine terrain, clipping bolts, exploring caves, or skiing powder; on rock or ice, running or climbing, by day or by night.

For 2025, we've once again poured all our energy into bringing new products to all those who share a passion for vertical pursuits and the outdoors. As always, we strive to be the go-to partner for every activity our customers pursue and every adventure they embark upon. What makes this possible is our products and the technical expertise we bring to everything we do — and we aren't stopping anytime soon!

Happy reading and have a great season!

The Petzl Team

Contents

We Are Petzl	2
Petzl Across the Globe	4
Our Pillars	5
Corporate Social Responsibility	9
New Products	12
VERTICALITY	
Product Kits	16
Harnesses	24
Helmets	36
Belay Devices and Descenders	42
Ropes	48
Carabiners and quickdraws	58
Ice axes	66
Crampons	74
Ascenders	82
Pulleys	86
Lanyards	88
Kits	96
Anchors	98
Crashpads	102
Packs and Accessories	104
LIGHTING	
Headlamps	112
Headlamp Accessories	130
Spare Parts	135
Product Index	136
Petzl, Also Serving Professionals	138
The Petzl Foundation	140

WePETZL.

This is see the world.

We are committed to creating safer places. For those who work and play in the vertical and dark worlds. For those who want to access their own inaccessible every day. We are independent and completely free to choose our own endeavors. To maintain industrial excellence, paying attention to our impact. To be pioneers in the pursuit of perpetual innovation. Sharing, educating, building. Together.

Snaring, educating, building. I **ogetner**.

This is how we see the world.


We PETZL.





Access the inaccessible®

"Accessing the inaccessible" is the driving force behind everything you do, whether you are moving towards a summit or descending into darkness. You're determined to get to ever-greater heights and through ever-deeper shadows. And you're always searching for better tools to do it: tools with superior performance, tools that are more reliable, tools so comfortable and ergonomic that they disappear into your hand. At Petzl, we share your determination. We've built our entire design and manufacturing philosophy around exceeding your needs in the field. It's what we've been doing for 50 years, and what we'll continue to do for years to come.



Petzl is a family business that, over the years, has become the largest European manufacturer of personal protective equipment for those who work and play in darkness or at height. All of our products are invented and developed at our headquarters in the heart of the French Alps.

Key Stats

The brand is present in over 55 countries.

of sales are made internationally.

More than million products are sold every year.

10,000,000
people use Petzl personal protective equipment every day.



An International Presence

- Headquarters in the French Alps, in the town of Crolles
- American subsidiary in Salt Lake City, Utah
- Petzl subsidiaries and sales agencies: Austria, Benelux, Denmark, Finland, France, Germany, Italy, Norway, Spain, Sweden, Switzerland, UK, and China

1 , 200 employees across the globe.

4 production sites: 3 in France and 1 in Malaysia.



Petzl subsidiaries and sales agencies: Austria, Benelux, China, Denmark, Finland, France, Germany, Italy, Norway, Spain, Sweden, Switzerland, UK, USA.

Petzl Distributors





The Values That Motivate Us

For 50 years, Petzl has been built around four pillars, four fundamental values that motivate every decision we make: remaining a stable family business, encouraging innovation to imagine the best solutions, insisting on industrial excellence with the goal of zero defects, and remaining engaged with our communities by providing global best practices.

Learn more about each of our pillars.

■1. Family Ownership



Sébastien, Paul, and Olivier Petzl



Fernand Petzl and Daniel Gagneur in front of a scaling pole



Fernand in his workshop

Our story begins in the 1930s in southeastern France

That was when craftsman Fernand Petzl was introduced to caving. Back at his workshop after each excursion to the depths, Fernand imagined new tools for exploring darkness and heights. In 1968, he marketed his first products; in 1970, Petzl was born.

For decades, the Petzl family has built a stable environment that fosters creative solutions and industrial excellence. The new generation is rooted in these principles and ready to make new discoveries.

The Petzl family business is not listed on the stock market. We're proud of our independence; we make our own choices, take responsibility for our decisions, and maintain a long-term, sustainable vision for the future. The confidence and satisfaction of our customers, our dealers, and our partners drives everything we do.





■ 2. Innovative Spirit



Innovations That Challenge Convention

With the introduction of the first headlamp in 1973, the legendary GRIGRI assisted blocking belay device in 1991, and the MAESTRO rescue descender in 2019, Petzl ingenuity has always pushed standard practices forward. Since the creation of Petzl in 1970, our objective has always been to make progressing in dark or vertical spaces safer and more comfortable.

Going Farther

As passionate pioneers, we delight in creating new opportunities for our users to venture into ever more committing terrain — to go farther and higher, to work more efficiently, to maximize safety and to make what was inaccessible today accessible tomorrow.






Simplicity, Durability, Efficiency In every tool we design and construct, we prioritize For Petzl, being a pioneer has meant 50 years of p


In every tool we design and construct, we prioritize simplicity, durability, and efficiency. For Petzl, being a pioneer has meant 50 years of passion, expertise, innovation, and continuous improvement. This approach to our craft and our business has allowed us to serve as a global expert, as we did in 2006 with the conception of the EXO personal escape system. At the request of, and in collaboration with, the firefighters of New York City, we were able to design an efficient solution that would allow easy escape in critical situations. It's an achievement that has been recognized with several awards, including best invention of the year by Time Magazine.



The Evolution of Petzl Headlamps



3. Industrial Excellence





Beyond the Standards

We have a deep responsibility to the people who trust us with their lives, and we develop, test, and qualify all of our products above required standards. Our design center, based in France, integrates all crafts that are related to the creation of products: mechanical, textile, electronic, optical, and technological. From the design and prototype phases, the reliability of a product and the safety of the user are continuously evaluated, with particular attention to risks of use.

With labs dedicated to product testing, we conduct dynamic fall and impact resistance tests, perform cyclical testing, and evaluate performance, as well as beam quality and burn times of our headlamps. This process includes rigorous field testing in order to test the ergonomics and reliability during real-world use.





Zero Defects - PPE (Personal Protective Equipment)

Reliability is at the center of our concerns: our goal is for our products to consistently function at the same level of excellence. Our objective is to allow zero defective products to leave our facilities, which involves processes with significant extra costs at every stage of production.

As we navigate an increasingly globalized economy, we go to great lengths to support our distributors and dealers, and we are heavily involved in the fight against counterfeit products.

Production and Inspection

Petzl's production sites are located in France, in the towns of Crolles, Eybens, and Rotherens, as well as in Rawang, Malaysia. Remaining competitive and keeping the majority of our production in France means that we continuously optimize our production lines and reduce our waste. This production infrastructure is complemented by long-term partnerships with key suppliers in Europe and Asia.

Our purchasing and quality control teams work closely with suppliers, ensuring to the best of our abilities, product reliability and quality that meets or exceeds our strict requirements. Quality inspection is present throughout every step of the production process: machine inspection of operations, human inspection at key points, further reinforcement by error-proofing systems and final individual inspection of each product.

We regularly audit the methods, quality management systems, and CSR practices (Corporate Social Responsibility) of our suppliers and strategic partners, especially when it comes to their employees.



4. Community Engagement





Using Our Expertise to Serve Communities

Sharing technical knowledge and appropriate product uses is at the heart of what we do at Petzl. We produce high-quality technical content that is available to everyone and utilized by the different communities that we serve. With a focus on maximizing safety, this content is updated and enriched throughout the lifespan of our products to keep our customers informed and moving forward while they practice their sport or do their job.

International Collaboration

Across the world, we have partnerships with iconic athletes, influential figures, professionals who work in extreme conditions, NGOs, certifying bodies, and training centers operated by leading experts in the field. These collaborations help us co-create a world where we can all learn, share, and flourish. They also make it easier to promote best practices and standard uses. At the heart of our collaborations is always a passion for exploration, for a job well done, and for the pursuit of the inaccessible.






The Petzl Foundation is an integral part of Petzl.

Through the Petzl Foundation, we support and initiate projects that help prevent accidents, preserve the environment, and improve knowledge of the natural world around us.

More information about the Petzl Foundation can be found on page 140.





Our approach to CSR is pragmatic, collaborative and positive. It's built on concrete actions, feedback from our stakeholders, and is solution-oriented, to encourage our teams and community to take action.

The safety and satisfaction of our customers remains our top priority. Beyond that, we're striving to create a more sustainable future. Petzl has launched projects to improve our own economic, environmental, and social practices, as well as the practices of our suppliers in order to:

- Reduce our carbon intensity
- Reduce, reuse, and recycle our waste
- Improve our employee satisfaction
- Improve the labor conditions of our suppliers

Four Actionable Commitments

At Petzl, we're focused on four commitments that respond to the primary concerns of over 2,000 of our internal stakeholders (employees, subsidiaries, family shareholders) and external stakeholders (clients, users, suppliers, associations, and NGOs). We are manifesting these four commitments through hands-on projects with measurable outcomes.


Reduce Our Carbon Intensity

In 2020, we worked with Carbone 4 to measure the comprehensive carbon impact of our operations in 2019 — from the extraction of raw materials to the end of a product's life. Our footprint was equal to 45,000 metric tons of CO₂. Three areas accounted for 75 % of our emissions: raw materials (34 %), transport of goods (24 %), energy used to power our headlamps (17 %).

In 2021, we created initiatives to reduce our carbon footprint: prioritize the use of materials with the least impact, improve the durability and repairability of our products, shrink the distances our goods travel, and reduce our energy consumption. By 2030, our goal is to reduce our total carbon footprint by 50 % per euro in sales.







Reduce, Reuse, and Recycle Our Waste

The waste from our industrial and commercial operations produces a variety of pollutants.

We're taking action in our factories, warehouses, and offices to reach three objectives by 2025:

- Eliminate single-use plastics in our packaging and supply chain
- Reuse 50 % of our cardboard and pallets, recycle the rest
- Recycle 80 % of our metal, plastic, cardboard and wood waste, put the rest towards energy recovery






■ Improve Our Employee Satisfaction

Our strong and consistent growth, coupled with the complex issues of the pandemic, has the potential to affect employee health. In 2021, we evaluated the satisfaction of all Petzl employees in France using the Wittyfit platform. The survey covers topics including organization and work load, autonomy, work/life balance, recognition, as well as purpose and values. Using the results, we created action plans to improve satisfaction — some carried out by leadership and others co-created and led by the teams. In 2023, this satisfaction audit was extended to all Petzl employees on a global level.





Improve the Labor Conditions of Our Suppliers

Since 2010, our responsible purchasing initiative has aimed to ensure that all our suppliers comply with the Petzl code of conduct. This code aligns with International Labor Organization (ILO) directives: Our objectives are to improve social, environmental, health, and safety practices at all of our suppliers. We've created an annual evaluation of CSR practices for suppliers representing 80 % of our purchases. We've offered reinforced support for 25 % of our suppliers in their continued improvement plans. We are also collaborating with other manufacturers to combine our audit efforts and reaffirm our CSR standards for common suppliers.





Our new 2025 products are sure to please climbers and alpinists! Up first, the ADVANCED range of harnesses, which include the well-known and much-loved SAMA, SELENA, ADJAMA, and LUNA, are being updated, bringing you increased comfort and practical features, plus a new colorway to keep up with the latest trends. With innovative construction using MATRYX® fabric, the WHISPER is hands-down, the must-have mountaineering harness for athletes seeking ultra-performance.





ADJAMA page 28




LUNA page 29



SAMA page 30












The GLACIER ice axe has been a best-seller for years. In 2025, its newest version has even more features to attract those who want nothing but the best for glacier travel.




Ropes for caving or canyoning are truly put to the test during use. That's why we've updated our ropes specifically for environments with extreme conditions. Introducing the new PUSH + 9 mm and the CLUB +10 mm, providing even greater durability and ease of use. When it comes to the CAVING LINE 7 mm, you're getting an ultra-compact, ultra-lightweight, low stretch cord designed for cave exploration.




For many, via ferrata is a gateway into the world of vertical activities. With the new SCORPIO lanyards, these users benefit from Petzl expertise and know-how right from the start, because we provide superior solutions and technology to our users, so that accessing the inaccessible feels like second nature.








Combinations





PERFORMANCE Gym and Rock Climbing

Climbers who are continuously pushing their performance to the next level want superior gear to get them there. They're always looking to update their kit with the best and latest equipment available. Often heavily involved in the climbing community, these climbers appreciate the recognition that comes with sporting PERFORMANCE products. They look for gear that is well-designed, innovative, lightweight, compact, and efficient, so they can clip the chains on their dream project. It's no coincidence that we use the same criteria to create our PERFORMANCE products.












PERFORMANCE Multi-Pitch Climbing

Multi-pitch climbing presents climbers with unique and seemingly endless challenges. When they're pushing their limit a thousand feet off the ground, trusting the gear takes on a whole new meaning. Success often requires total commitment to the goal. And sometimes the outcome boils down to just a few variables. Put all the odds in their favor with gear that is comfortable yet lightweight, and durable without ever compromising performance.





















ADVANCED Gym and Rock Climbing

Seasoned climbers who are often already familiar with Petzl, these climbers are on the hunt for gear that meets their needs for progression and performance. The intrinsic quality of a product is just as important as its design or the image it conveys in the world of climbing. Inspired by the leaders in our sport, these climbers are pushing their personal limits to meet their own objectives. Our ADVANCED products will bring them even closer to accessing their inaccessible.



DISCOVER Gym and Rock Climbing

Discovering the joys of climbing for the first time, these climbers often start out in their local climbing gym. They're looking for gear that is accessible, efficient, durable, and will allow them to easily integrate into their newly-adopted climbing community. Overflowing with psych, with only a few sessions under their belt, a little guidance in choosing the right gear is helpful for these climbers. Our DISCOVER range makes it possible for them to have a unique and rewarding experience from the very first time they tie in.



PERFORMANCE Mountaineering

Mountaineering is undeniably one of the most demanding and committing activities in our sport, especially when the objective is technically difficult. Climbers who are pursuing challenging objectives in the mountains are always seeking superior equipment to give them the edge they need to succeed, especially when it comes to technical gear. For helmets, harnesses, ice tools, crampons, ice screws, ropes, and lighting alike, experts in the vertical world will find that Petzl is the most reliable and performance-driven partner for every extraordinary adventure.











DISCOVER Mountaineering

Discovering the mountains in a new way means exploring off the beaten path and stepping further into alpine adventures. And there's a whole set of gear you need to get started! Whether it's your first day of ski-mountaineering or classic mountaineering, not to worry; Petzl has everything you need to get started and move with confidence in the mountains. Extraordinary experiences and breathtaking summits await.









ARIAL® 9.5 MM




Crevasse Rescue Kits



Ski Mountaineering

No time constraints, no lift lines, and no limit to the peaks you can access within a stone's throw — the modern skier's ultimate dream. Because our expertise lies in accessing hard-to-reach places, we offer the most specialized gear for skiers who seek adventure, merging skiing and mountaineering into one.











IRVIS® HYBRID





Petzl harnesses are designed to meet the needs of all those who play in the vertical world, whether it's for climbing, mountaineering, via ferrata, canyoning, or caving. We offer a variety of models suited for different body types and different uses.

Designs for different body types:

- With adjustable leg loops, suitable for most body types and all seasons (winter and summer use)
- Without adjustable leg loops, making it lightweight and optimizing freedom of movement
- Women's harness with angled waistbelt and an adapted rise and waistbelt-to-leg-loop ratio

Capacity to carry gear suited to the activity:

- For gym climbing, via ferrata, glacier travel, or classic mountaineering, two gear loops are sufficient
- For single pitch or big wall climbing, four gear loops are necessary

For activities requiring a lot of gear, such as trad climbing, technical mountaineering, or ice climbing, a fifth gear loop is more practical.

Harnesses for mountaineering and ski touring:

- · Weight and bulk are minimized
- Practical to put on while wearing crampons or skis


Petzl Harness Technology

For certain climbing and mountaineering harnesses, Petzl uses specific technologies: FRAME, ENDOFRAME, FUSEFRAME, WIREFRAME or MATRYX[®]. These constructions are adapted to different expectations that climbers may have, whether you're just starting out, an active climber, or looking for high performance.



FRAME Technology


This construction forms the core of CORAX and OUISTITI harnesses and combines a thick layer of foam with central webbing on the waistbelt and leg loops. The load is distributed by the webbing that is surrounded by foam. This construction allows for excellent durability and comfort when hanging for long periods on a climb.





ENDOFRAME Technology


This construction method uses thin foam and specific variable-width webbing sewn onto the foam for optimal load distribution. The waistbelt webbing is wider at the hips, providing support while remaining lightweight. We've paid careful attention to provide maximum comfort and greatly reduce pressure points or hot spots on the waistbelt. ENDOFRAME technology is used in SAMA, SELENA, ADJAMA, LUNA, and MACCHU harnesses.





FUSEFRAME Technology


This construction uses thin thermoformed foam and doubled interior webbing for greater comfort and lightness. This gives the harnesses a smooth and clean exterior surface without adding thickness, for improved abrasion resistance. FUSEFRAME technology gives the HIRUNDOS, AQUILA, and FLY harnesses (removable foam) a clean, smart design that is light and comfortable.





WIREFRAME Technology


WIREFRAME technology uses HMPE strands. These strands are used in the waistbelt and leg loops to optimally distribute pressure, ensuring maximum comfort and freedom of movement for the climber. This construction gives this technical harness an exceptional weight-to-comfort ratio. WIREFRAME technology, applied to a very sleek design with very slim technical lines, is perfectly suited to SITTA and ALTITUDE harnesses.





MATRYX® Technology

This construction is composed of woven HMPE strands that lay across the entire surface of the harness, with special strands interwoven in specific areas. This process is made possible with the high-performance MATRYX® fabric. It allows the waistbelt and leg loops to be exceptionally low-profile, lightweight, and flexible, so the harness moves seamlessly with the climber, practically unnoticeable when worn. Special weave patterns on the hips and back of the thighs provide added comfort and support for hanging in the harness and carrying gear. The MATRYX® technology used for the WHISPER harness is minimalist, pushing the limits of compact and lightweight design, without forgoing comfort.



Choosing Your Petzl Climbing and Mountaineering Harness

		Adjustable Leg Loops	Number of Gear Loops	Weight*	Optimized for
PERFORM	ANCE				
WHISPER®	NEW 2025	-	5	170 g	Technical Mountaineering Expeditions High-Level Climbing
SITTA		-	5	285 g	Single Pitch Climbing Multi-Pitch Climbing Trad Climbing Technical Mountaineering Ice Climbing
AQUILA		•	6	405 g	Single Pitch Climbing Multi-Pitch Climbing Trad Climbing
HIRUNDOS		-	5	310 g	Indoor Climbing Single Pitch Climbing Multi-Pitch Climbing
FLY		•	2 + 4 (Size S)	100 / 130 g	Ski Mountaineering
ADVANCE)				
ADJAMA	NEW OF THE PROPERTY OF THE PRO	•	6	385 g	Single Pitch Climbing Multi-Pitch Climbing Trad Climbing
LUNA	NEW 2025	•	6	380 g	Single Pitch Climbing Multi-Pitch Climbing Trad Climbing
SAMA	NEW CONTROL OF THE PROPERTY OF	-	5	330 g	Indoor Climbing Sport Climbing Multi-Pitch Climbing
SELENA	NEW	-	5	325 g	Indoor Climbing Sport Climbing Multi-Pitch Climbing
ALTITUDE®	58	•	2	150 g	Mountaineering Ski Touring
DISCOVER					
CORAX		•	5	470 g	Indoor Climbing Sport Climbing Via Ferrata
CORAX LT		-	5	395 g	Indoor Climbing Sport Climbing Via Ferrata
CORAX LT WOMEN		-	5	370 g	Indoor Climbing Single Pitch Climbing Via Ferrata
TOUR		•	2	200 g	Glacier Travel Ski Touring

PERFORMANCE Climbing and Mountaineering Harnesses



WHISPER®

Ultra-lightweight and technical harness for high-performance climbing and mountaineering

Extremely lightweight and technical, the WHISPER harness is a breath of fresh air for dedicated mountaineers and climbers. Its innovative construction with MATRYX® fabric is focused on the necessities: it's compact and lightweight without forgoing comfort. With a slim and flexible waistbelt and leg loops, it allows you to move freely. Featuring five gear loops, it provides the capacity to carry all the gear you need for demanding mountain expeditions and rock routes. Its tie-in points and gear loops are designed to provide long-lasting abrasion resistance.





High-performance MATRYX® fabric provides superior balance between low weight, technicality, and comfort.



Exceptionally slim waistbelt and leg loops provide absolute freedom of movement, making the harness practically unnoticeable when worn.



Two very large front gear loops and three in the rear to carry necessary mountaineering gear.

- Extremely lightweight and compact:
- Only 170 g in size M
- Ultra-compact, it takes up minimal space in a pack
- Optimal freedom of movement:
- Exceptionally slim waistbelt and leg loops provide absolute freedom of movement, making it practically unnoticeable when worn
- Excellent breathability, due to individually coated strands of HMPE (high-modulus polyethylene) and nylon, specific to the high-performance MATRYX® fabric; this process allows the fabric to quickly wick away sweat when the climber is moving
- Comfortable while resting on the rope or when managing gear at the anchor; MATRYX® Technology construction allows specific areas to be padded for comfort and support

- Enhanced durability:
- Highly abrasion-resistant due to the composition of $\mathsf{MATRYX}^{\tiny{\textcircled{\tiny{\$}}}}$ fabric
- Tie-in points, webbing, and gear loops reinforced with HMPE for greater resistance to abrasion and rubbing
- Carries and organizes a large quantity of gear:
- Two very large, rigid gear loops in front for carrying a large amount of gear and to easily clip and unclip carabiners
- Two rear gear loops don't get it in way of wearing a backpack
- Flexible rear loop for a tag line or essential accessories
- Two slots for CARITOOL tool holders optimized for CARITOOL EVO and compatible with CARITOOL

Product Specifications

- Material(s): high-modulus polyethylene, nylon, polyester, aluminum
- Certification(s): CE EN 12277 type C, UIAA
- Comes with a storage pouch made from 100 % recycled polyester fabric

Accessory(ies)

CARITOOL EVO P043AB00

Specifications by Reference











































ADVANCED Climbing and Mountaineering Harnesses



ADJAMA

Comfortable and adjustable harness for single pitch, multi-pitch, and trad climbing

The comfort you want in every season! The ADJAMA is a harness designed for single pitch, multi-pitch, and trad climbing. With adjustable leg loops, the fit can be adapted to a wide range of climbers. Its construction is tapered and smooth-seamed for comfort when you're hanging or in action. With five gear loops, you can rack and organize all your gear within reach.





Waistbelt and leg loops are tapered and have smooth-seamed edges for comfortable support when hanging and climbing.



Leg loops are adjustable with DOUBLEBACK buckles, to adapt to different body types and seasonal clothing.



Two very large front gear loops and three in the rear, with one in the center to carry necessary gear, including for trad climbing.

- Adjustable and comfortable harness:
- Waistbelt and leg loops are tapered and have smooth-seamed edges for comfortable support
- Leg loops are adjustable with DOUBLEBACK buckles, to adapt to different body types and seasonal clothing
- ENDOFRAME Technology construction allows optimal weight distribution
- Breathable, moisture-wicking interior fabric
- Carries and organizes a large quantity of gear:
- Two very large, rigid gear loops in front for carrying a large amount of gear and to easily clip
- and unclip carabiners
- Two rear gear loops are flexible, angled to bring gear to the front, and comfortable when carrying a backpack
- One large, center rear gear loop for racking gear used at belay stations or other accessories
- Rear accessory loop for chalk bag, shoes, quick link, tag line, or other gear
- Compatible with CARITOOL EVO tool holders for racking ice screws
- Eco-design: Waistbelt and leg loop exterior fabric are made from 100 % recycled polyester

Product Specifications

- Material(s): polyester, 100 % recycled polyester, EVA, polyurethane, high-modulus polyethylene,
- Certification(s): CE EN 12277 type C, UIAA
- Comes with a storage pouch made from 100 % recycled polyester fabric

Accessory(ies)

CARITOOL EVO P043AB00

Specifications by Reference

ADVANCED Climbing and Mountaineering Harnesses



LUNA

Comfortable and adjustable women's harness for single pitch, multi-pitch, and trad climbing

The comfort you want in every season! Built for women, the LUNA is a harness designed for single pitch, multi-pitch, and trad climbing. With adjustable leg loops, the fit can be adapted for all climbers. Its construction is tapered and smooth-seamed for comfort when you're hanging or in action. With five gear loops, you can rack and organize all your gear within reach.





Waistbelt equipped with a DOUBLEBACK buckle to easily adjust the harness.



Two very large front gear loops and three in the rear, with one in the center to carry necessary gear, including for trad climbing.



Compatible with CARITOOL EVO tool holder for racking ice screws.

- Adjustable and comfortable women's harness:
- Waistbelt shape, rise, and waistbelt-to-leg-loop ratio specifically designed for women
- Waistbelt and leg loops are tapered and have smooth-seamed edges for comfortable support
- Leg loops are adjustable with DOUBLEBACK buckles, to adapt to different body types and seasonal clothing
- ENDOFRAME Technology construction allows optimal weight distribution
- Breathable, moisture-wicking interior fabric
- Carries and organizes a large quantity of gear:
- Two very large, rigid gear loops in front for

- carrying a large amount of gear and to easily clip and unclip carabiners
- Two rear gear loops are flexible, angled to bring gear to the front, and comfortable when carrying a backpack
- One large, center rear gear loop for racking gear used at belay stations or other accessories
- Rear accessory loop for chalk bag, shoes, quick link, tag line, or other gear
- Compatible with CARITOOL EVO tool holders for racking ice screws
- Eco-design: Waistbelt and leg loop exterior fabric are made from 100 % recycled polyester

Product Specifications

- Material(s): polyester, 100 % recycled polyester, EVA, polyurethane, high-modulus polyethylene,
- Certification(s): CE EN 12277 type C, UIAA
- \bullet Comes with a storage pouch made from 100 %recycled polyester fabric

Accessory(ies)

CARITOOL EVO P043AB00

Specifications by Reference







































ADVANCED Climbing and Mountaineering Harnesses



SAMA

Comfortable harness for the gym, single pitch, or multi-pitch routes

Whether you're at the gym or the crag, SAMA is a comfortable harness for your sport climbing sessions! The elasticized leg loops provide a dynamic fit and the waistbelt is flexible and slimmer in front to give great freedom of movement. Four gear loops provide enough space to rack all the gear you need, including for multi-pitch climbing.







Waistbelt and leg loops are tapered and have smooth-seamed edges for comfortable support when hanging and climbing.



Elasticized leg loops and flexible connection straps provide great freedom of movement.



Two front gear loops and two in the rear to carry all the gear you need, including for multi-pitch climbing.

- Comfortable harness offering great freedom of movement:
- Waistbelt and leg loops are tapered and have smooth-seamed edges for comfortable support
- Great freedom of movement, with elasticized lea loops and flexible connection straps, helping keep the harness in place
- ENDOFRAME Technology construction allows optimal weight distribution
- Breathable, moisture-wicking interior fabric
- Capacity for carrying gear:
- Two front gear loops are rigid to easily clip and unclip quickdraws
- Two rear gear loops are flexible, angled to bring gear to the front, and comfortable when carrying
- Rear accessory loop for chalk bag, shoes, quick link, tag line, or other gear
- Compatible with CARITOOL EVO tool holders for racking ice screws
- Eco-design:
- Waistbelt and leg loop exterior fabric is made from 100 % recycled polyester
- The DARK GRAY version features an irregular pattern, limiting fabric waste in production Every harness is unique!


Product Specifications

- Material(s): polyester, 100 % recycled polyester, EVA, polyurethane, high-modulus polyethylene,
- Certification(s): CE EN 12277 type C, UIAA
- \bullet Comes with a storage pouch made from 100 %recycled polyester fabric

Accessory(ies)

CARITOOL EVO P043AB00

Specifications by Reference





SFI FNA

Comfortable women's harness for the gym, single pitch, or multi-pitch routes

Whether you're at the gym or the crag, SELENA is a comfortable women's harness for your sport climbing sessions! The elasticized leg loops provide a dynamic fit and the waistbelt is flexible and slimmer in front to give great freedom of movement. Four gear loops provide enough space to rack all the gear you need, including for multi-pitch climbing.







Waistbelt and leg loops are tapered and have smooth-seamed edges for comfortable support when hanging and climbing.



Elasticized leg loops and flexible connection straps provide great freedom of movement.



Two front gear loops and two in the rear to carry all the gear you need, including for multi-pitch climbing.

- Comfortable women's harness offering great freedom of movement:
- Waistbelt shape, rise, and waistbelt-to-leg-loop ratio specifically designed for women
- Waistbelt and leg loops are tapered and have smooth-seamed edges for comfortable support
- Great freedom of movement, with elasticized leg loops and flexible connection straps, helping keep the harness in place
- ENDOFRAME Technology construction allows optimal weight distribution
- Breathable, moisture-wicking interior fabric
- Capacity for carrying gear:
- Two front gear loops are rigid to easily clip and

- unclip quickdraws
- Two rear gear loops are flexible, angled to bring gear to the front, and comfortable when carrying a backpack
- Rear accessory loop for chalk bag, shoes, quick link, tag line, or other gear
- Compatible with CARITOOL EVO tool holders for racking ice screws
- Eco-design:
- Waistbelt and leg loop exterior fabric is made from 100 % recycled polyester
- The ROSE version features an irregular pattern, limiting fabric waste in production Every harness is unique!

Product Specifications

- Material(s): polyester, 100 % recycled polyester, EVA, polyurethane, high-modulus polyethylene, aluminum
- Certification(s): CE EN 12277 type C, UIAA
- Comes with a storage pouch made from 100 % recycled polyester fabric

Accessory(ies)

CARITOOL EVO P043AB00

Specifications by Reference













		Reference	Size	Weight	Waist Size	Leg Loops	Made in	Case quantity	EAN code
PERFORMANCE Climbing and M	/lountaineering	Harnesses							
WHISPER® NEW 2028	4	C003AA00	XS	140 g	65 - 71 cm	48 - 53 cm	CN	15	33425408490
Ultra-lightweight and technical		C003AA01	S	155 g	71 - 77 cm	48 - 53 cm			33425408490
harness for high-performance climbing and mountaineering		C003AA02	М	170 g	77 - 84 cm	52 - 57 cm			33425408490
climbing and mountaineering		C003AA03	L	185 g	84 - 92 cm	55 - 60 cm			33425408491
SITTA	. w)	C011AA00	XS	255 g	65 - 71 cm	48 - 53 cm	CN	10	33425408410
Lightweight and comfortable		C011AA01	S	270 g	71 - 77 cm	48 - 53 cm			33425408410
echnical harness for performance climbing		C011AA02	М	285 g	77 - 84 cm	52 - 57 cm	_		33425408410
and mountaineering		C011AA03	L	300 g	84 - 92 cm	55 - 60 cm			33425408410
AQUILA		C037BA00	S	385 g	71 - 77 cm	48 - 58 cm	CN	10	33425408385
Comfortable and adjustable	TA	C037BA01	М	405 g	77 - 84 cm	52 - 62 cm			33425408385
narness for performance single		C037BA02	L	435 g	84 - 92 cm	55 - 65 cm			33425408387
oitch, multi-pitch, and trad Slimbing		C037BA03	XL	465 g	92 - 100 cm	57 - 67 cm			33425408387
UDI INDOO	- Y 11 m	C036BA00	XS	270 g	65 - 71 cm	48 - 53 cm	CN	10	33425408384
IIRUNDOS ightweight and comfortable	TA	C036BA01	S	290 g	71 - 77 cm	48 - 53 cm			3342540838
arness for performance		C036BA02	М	310 g	77 - 84 cm	52 - 57 cm			3342540838
t the gym, on single pitch, nd multi-pitch routes –	Orange	C036BA03	L	330 g	84 - 92 cm	55 - 60 cm			3342540838
na main pitor routes		C036CA00	XS	270 g	65 - 71 cm	48 - 53 cm			3342540838
		C036CA01	S	290 g	71 - 77 cm	48 - 53 cm			3342540838
		C036CA02	М	310 g	77 - 84 cm	52 - 57 cm			3342540838
	Black	C036CA03	L	330 g	84 - 92 cm	55 - 60 cm			3342540838
LY	-	C002BA00	S	90 / 120 g*	66 - 76 cm	50 - 56 cm	CN	15	3342540841
Ultra-lightweight and adjustable		C002BA01	М	100 / 130 g*	76 - 86 cm	52 - 58 cm			3342540841
arness for ski mountaineering	Address of the latest of the l	C002BA02	L	110 / 140 g*	86 - 96 cm	54 - 60 cm			3342540841
ADVANCED Climbing and Moun	taineering Harn	esses							
ADJAMA NEW 202		C022CA00	S	370 g	71 - 77 cm	46 - 56 cm	CN	10	3342540843
Comfortable and adjustable		C022CA01	М	385 g	77 - 84 cm	51 - 61 cm			3342540843
arness for single pitch, nulti-pitch, and trad climbing		C022CA02	L	410 g	84 - 92 cm	54 - 64 cm			3342540843
		C022CA03	XL	435 g	92 - 100 cm	56 - 66 cm			3342540843
.una 🖁		C035CA00	XS	365 g	65 - 71 cm	46 - 56 cm	CN	10	3342540843
Comfortable and adjustable	9	C035CA01	S	380 g	71 - 77 cm	51 - 61 cm			3342540843
vomen's harness for single pitch, nulti-pitch, and trad climbing	A D	C035CA02	М	400 g	77 - 84 cm	54 - 64 cm			3342540843
iditi-pitori, and trad cirribing		C035CA03	L	420 g	84 - 92 cm	56 - 66 cm			3342540843
SAMA		C021CA00	S	310 g	71 - 77 cm	48 - 53 cm	CN	10	3342540843
Comfortable harness	AA	C021CA01	М	330 g	77 - 84 cm	52 - 57 cm			3342540843
or the gym, single pitch,		C021CA02	L	355 g	84 - 92 cm	55 - 60 cm			3342540843
r multi-pitch routes	Atlantic blue	C021CA03	XL	375 g	92 - 100 cm	57 - 62 cm			3342540843
	00950	C021CA04	S	310 g	71 - 77 cm	48 - 53 cm			3342540843
	AA	C021CA05	M .	330 g	77 - 84 cm	52 - 57 cm	_		3342540843
		C021CA06	L	355 g	84 - 92 cm	55 - 60 cm			3342540843
O NEW	Dark gray	C021CA07	XL	375 g	92 - 100 cm	57 - 62 cm	CNI	10	3342540843
ELENA P	200	C055CA00 C055CA01	XS S	310 g 325 g	65 - 71 cm 71 - 77 cm	48 - 53 cm 52 - 57 cm	CN	10	3342540843 3342540843
omfortable women's harness or the gym, single pitch,	(N)	C055CA01	S M	325 g 345 g	77 - 84 cm	55 - 60 cm	-		3342540843
r multi-pitch routes	Jade green	C055CA02	L	365 g	84 - 92 cm	57 - 62 cm			3342540843
-	0	C055CA04	XS	310 g	65 - 71 cm	48 - 53 cm	-		3342540843
	7	C055CA05	S	325 g	71 - 77 cm	52 - 57 cm			3342540843
	DVD	C055CA06	М	345 g	77 - 84 cm		1		3342540843
	Rose	C055CA07	L	365 g	84 - 92 cm	57 - 62 cm			3342540843
ALTITUDE®		C019BA00	S/M	150 g	64 - 86 cm	55 - 67 cm	CN	30	3342540841
	AM	C019BA01	M/L	160 g	74 - 96 cm	60 - 73 cm	1		3342540841
ightweight, compact		CUTSBAUT	141/ -	100 9			-		

		Reference	Size	Weight	Waist Size	Leg Loops	Made in	Case quantity	EAN code
DISCOVER Climbing and Mount	taineering Harne	sses							
CORAX		C051AB00	1	470 g	65 - 96 cm	48 - 59 cm	MY	10	3342540844346
Very comfortable and fully adjustable harness for gym and outdoor climbing	Dark gray	C051AB01	2	520 g	76 - 107 cm	54 - 67 cm			3342540844438
-		C051BB00	1	470 g	65 - 96 cm	48 - 59 cm			3342540844469
	Navy blue	C051BB01	2	520 g	76 - 107 cm	54 - 67 cm	_		3342540844490
-	Transaction of the Contraction o	C051CB00	1	470 g	65 - 96 cm	48 - 59 cm			3342540844582
	Dark red	C051CB01	2	520 g	76 - 107 cm	54 - 67 cm			3342540844599
CORAX LT		C052AB00	XS	345 g	65 - 71 cm	48 - 53 cm	MY	10	3342540844353
Very comfortable harness		C052AB01	S	365 g	71 - 77 cm	48 - 53 cm			3342540844360
for gym and outdoor climbing		C052AB02	М	395 g	77 - 84 cm	52 - 57 cm			334254084437
	Dark gray	C052AB03	L	425 g	84 - 92 cm	55 - 60 cm			3342540844384
	Dank gray	C052AB04	XL	455 g	92 - 100 cm	57 - 62 cm			334254084439
		C052AB05	XS	345 g	65 - 71 cm	48 - 53 cm			3342540844407
		C052AB06	S	365 g	71 - 77 cm	48 - 53 cm			3342540844414
		C052AB07	М	395 g	77 - 84 cm	52 - 57 cm			334254084442
	Indigo blue	C052AB08	L	425 g	84 - 92 cm	55 - 60 cm			334254084444
	3	C052AB09	XL	455 g	92 - 100 cm	57 - 62 cm			334254084445
CORAX LT WOMEN		C052BB00	XS	350 g	65 - 71 cm	48 - 53 cm	MY	10	3342540844476
Very comfortable women's harness for gym and outdoor		C052BB01	S	370 g	71 - 77 cm	52 - 57 cm			334254084448
climbing		C052BB02	М	400 g	77 - 84 cm	55 - 60 cm			3342540844506
	Lilac white	C052BB03	L	430 g	84 - 92 cm	57 - 62 cm			3342540844510
		C052BB04	XL	460 g	92 - 100 cm	57 - 62 cm			3342540844520
-		C052BB05	XS	350 g	65 - 71 cm	48 - 53 cm			334254084453
		C052BB06	S	370 g	71 - 77 cm	52 - 57 cm			334254084454
		C052BB07	М	400 g	77 - 84 cm	55 - 60 cm			334254084455
	Coral sand	C052BB08	L	430 g	84 - 92 cm	57 - 62 cm			3342540844568
		C052BB09	XL	460 g	92 - 100 cm	57 - 62 cm			334254084457
TOUR		C020BA00	S/M	200 g	64 - 86 cm	55 - 67 cm	MY	30	3342540841154
Durable, lightweight harness for glacier travel and ski touring		C020BA01	M/L	215 g	74 - 96 cm	60 - 73 cm			334254084116
tor glacier traver and ski todning		C020BA02	L/XL	230 g	84 - 108 cm	66 - 79 cm			3342540841178
8003	AL	C05 1N	1	580 g	60 - 95 cm	42 - 62 cm	RO	12	3342540025950
Full-body harness for adults		C05 2N	2	610 g	75 - 105 cm	52 - 77 cm			334254002596
VOLTIGE Adjustable chest harness for sit harness	X	C60	-	280 g	-	-	RO	15	334254000159

































		Reference	Weight	Waist Size	Leg Loops	Specifics	Made in	Case quantity	EAN code
Climbing Harnesses for Children									
MACCHU®		C015AA00	335 g	54 - 64 cm	34 - 44 cm	Blue	VN	10	3342540825154
Adjustable sit harness for children weighing less than 40 kg	1	C015AA01				Violet			3342540825161
BODY Padded shoulder straps to be used in conjunction with a child's sit harness	H	C018BA00	150 g	-	-	Chest: 45 - 80 cm	MY	15	3342540825178
OUISTITI Full-body climbing harness for children weighing less than 30 kg		C068AA00	410 g	58 - 70 cm	32 - 40 cm	-	MY	10	3342540820432

	Reference	Size	Weight	Waist Size	Leg Loops	Made in	Case quantity	EAN code
Caving Harnesses			l.				ı	l.
AVEN	C013AA00	1	465 g	60 - 85 cm	42 - 62 cm	RO	4	3342540835429
Comfortable, durable caving harness	C013AA01	2	520 g	80 - 102 cm	52 - 72 cm			3342540835436
SUPERAVANTI	C012AA00	1	410 g	60 - 95 cm	42 - 62 cm	RO	6	3342540835405
Durable, lightweight caving harness	C012AA01	2	450 g	90 - 105 cm	52 - 72 cm			3342540835412
EXPLO Shoulder straps for positioning a CROLL, with gear loops	C027AA00	-	170 g	-	-	CN	8	3342540835450
TORSE Shoulder straps for positioning a CROLL	C026AA00	-	90 g	-	-	RO	9	3342540835443
Canyoning Harnesses								
CANYON GUIDE	C086BA00	1	870 g	65 - 95 cm	40 - 65 cm	CN	5	3342540829893
Comfortable, ergonomic harness with integrated protective seat for canyoning	C086BA01	2	920 g	75 - 120 cm	40 - 75 cm			3342540829909
CANYON CLUB Easy-to-use harness with integrated protective seat for canyoning	C086AA00	-	660 g	60 - 120 cm	40 - 75 cm	KH	10	3342540829886
Dratactive Seet for	C086CA00	-	160 g	-	-	KH	10	3342540830011
Protective Seat for CANYON Harness	C086CA01							3342540830035
<u> </u>	C086CA02							3342540830042



	Reference	Weight	Specifics	Made in	Case quantity	EAN code
Comfort Foam for CANYON CLUB Harness	C086FA00	105 g	-	CN	10	3342540830059
Gear Loop for CANYON CLUB Harness	C086GA00	25 g	-	CN	20	3342540830066
Cutaway Sling for CANYON GUIDE Harness	C086EA00	7 g	Installs directly on the harness gated attachment point	FR	40	3342540830615
Cutaway sling for CANYON CLUB harness	C086DA00	9 g	It is easy to install with a girth hitch on the harness attachment point	FR	40	3342540830004
Harness Accessories						
CARITOOL Harness tool holder	P42	25 g	Working load limit 5 kg	IΤ	30	3342540063877
CARITOOL EVO Universal ice screw holder adaptable to any type of harness, for ice climbing or mountaineering.	P043AB00	40 g	Working load limit 5 kg	IT	16	3342540844629



































Petzl, Beyond the Standards

Petzl goes above and beyond the standard requirements for all our helmets, offering effective protection against falling objects and side, front, and rear impacts.

₹

TOP AND SIDE PROTECTION: What Are the Levels of Protection?

1. Standard Protection



Standard protection against falling objects (such as rocks or ice)

EN 12492 / UIAA 106 Standard tests




2. Enhanced Protection



Enhanced protection against falling objects and against side, front, and rear impacts

Supplementary tests performed by Petzl



TOP AND SIDE PROTECTION = Standard Protection + Enhanced Protection





Climbing and mountaineering helmets with CE ski touring helmet certification

With protection against falling objects (EN 12492) and enhanced protection against lateral, front, or rear impact (Petzl's TOP AND SIDE PROTECTION label), Petzl helmets effectively protect the head during numerous activities: climbing, mountaineering, and now ski touring, where wearing a helmet is not yet the norm.

What are the different requirements for a ski touring helmet?


Ventilation

In ski touring, the physical effort generated on the climb is considerable and requires appropriate gear. Only a lightweight, and most importantly, ventilated helmet can be comfortably worn from beginning to end of an outing.

Head Protection

Throughout a ski touring day, climbing or descending, the skier may face any of the following risks:

- Rockfall:



As in mountaineering, the skier may be exposed to rock or icefall, for example when climbing a couloir.

- Side, front, and rear impacts:



A fall while climbing on a steep or frozen slope above a rocky outcrop.



A fall while descending caused by terrain hazards: rocks, trees, ice blocks, crevasses, avalanches, or other possible hazards.

The best balance of ventilation and protection for the head will encourage participants to wear a helmet from beginning to end of an outing.

Why has Petzl pursued the creation of a new CE certification for ski touring helmets?

Currently there is no reference standard outlining the health and safety requirements for a ski touring helmet, unlike downhill skiing, which follows the guidelines of the EN 1077 class B standard.

Therefore, in order to obtain CE certification for a helmet used for ski touring, Petzl approached a certifying body to create a standard that takes into consideration the practice, the environment, and the dangers of ski touring.

This reference standard is based primarily on:

- The requirements of the mountaineering helmet standard (EN 12492), to provide rockfall protection, as well as maximum ventilation for comfort during ascents
- Requirements for enhanced protection against lateral, front, and rear impacts (as described in the Petzl test protocol for the TOP AND SIDE PROTECTION label)

This reference standard is the PCSR (Protocol for ski touring helmets). It is public and available to other manufacturers for certification of their helmets.





Petzl offers helmet models for climbing, mountaineering, or via ferrata, for intensive or regular use, or for your first time trying out these activities.

Choosing Your Helmet

	PERFORMANCE	ADVA	NCED	DISCOVER			
	SIROCCO®	METEOR	METEORA	BOREO®	BOREA®		
TOP AND SIDE PROTECTION	•	•	•	•	•		
CE Certified Ski Touring Helmet		•	•				
Weight	170 g (size M/L)	240 g (size M/L)	225 g	330 g (size M/L)	305 g		
Detail	Ultra-lightweight	Lightweight, can be worn with ski goggles	Lightweight, can be worn with ski goggles / women's	Durable and versatile	Durable and versatile Women's		

Two other models round out the range: the PICCHU helmet for children and the BOREO CAVING helmet designed for cavers.





PICCHU
Children's climbing and cycling helmet with enhanced protection





BOREO® CAVING Caving helmet with mounting plates for DUO headlamp

Petzl Helmet Construction

	Construction	Principle of Shock Absorption	Petzl Helmets	
EPP foam shell and EPS foam liner injected under a thin polycarbonate crown		The crown protects the liner and helps stop sharp objects at the top of the helmet. The liner alone absorbs top impacts by deformation. The shell alone absorbs side, front, and rear impacts by deformation.	SIROCCO®	
In-Mold	EPS foam liner injected under a thin polycarbonate shell	The shell protects the liner and helps stop sharp objects. The liner alone absorbs impacts by deformation.	METEOR METEORA	
Hard shell / Hybride	Hard ABS shell protects the EPP and/or EPS foam liner	The shell protects the liners, helps stop sharp objects, and distributes impacts. The liners absorb impacts by deformation.	BOREO® BOREA® PICCHU	

EPP: Expanded polypropylene EPS: Expanded polystyrene ABS: Acrylonitrile butadiene styrene































		Reference	Color	Size	Weight	Head Circumference	Made in	Case quantity	EAN code
PERFORMANCE Climbing and M	lountaineering	Helmets						1	
SIROCCO®	-	A073DA00	White	S/M	160 g	48 - 58 cm	CN	8	334254084398
Ultra-lightweight climbing	VX	A073DA01		M/L	170 g	53 - 61 cm			3342540843998
and mountaineering helmet	\sim	A073DA02	Black	S/M	160 g	48 - 58 cm			334254084400
	**	A073DA03		M/L	170 g	53 - 61 cm			3342540844018
ADVANCED Climbing and Mount	aineering Helm	ets							
METEOR		A071CA00	White/Black	S/M	225 g	48 - 58 cm	CN	8	334254083854
Lightweight helmet with	16-	A071CA01		M/L	240 g	53 - 61 cm			334254083855
enhanced protection for climbing, mountaineering, and ski touring	1	A071AA02	Red	S/M	225 g	48 - 58 cm			334254082588
oa.nag, a.a o.a cag		A071AA03		M/L	240 g	53 - 61 cm			334254082589
METEORA	10.	A071DA01	White/Violet	-	225 g	52 - 58 cm	CN	8	334254083941
Lightweight helmet designed for women, with enhanced protection for climbing, mountaineering, and ski touring		A071DA00	White/Gray						3342540838567
DISCOVER Climbing and Mounta BOREO® Durable and versatile helmet with enhanced protection for		A042VA00 A042VA01	White	S/M M/L	300 g 330 g	48 - 58 cm 53 - 61 cm	TN	8	334254084121 334254084121
climbing and mountaineering	V	A042VA02	Gray	S/M	300 g	48 - 58 cm			334254084122
		A042VA03	0	M/L	330 g	53 - 61 cm			334254084123
	40 40	A042VA04	Orange	S/M	300 g	48 - 58 cm			334254084124
	स्य स्य	A042VA05 A042VA06	Red	M/L S/M	330 g 300 g	53 - 61 cm 48 - 58 cm	-		334254084125 334254084126
		A042VA00 A042VA07	neu	M/L	330 g	53 - 61 cm			334254084127
		A042VA07 A042VA08	Blue	S/M	300 g	48 - 58 cm			334254084128
		A042VA09	Bide	M/L	330 g	53 - 61 cm	_		334254084129
	//-	A048AB00 A048AB01	Lilac white Navy blue	-	305 g	52 - 58 cm	TN	8	334254084395 334254084396
BOREA® Durable and versatile women's helmet for climbing and mountaineering		A048AB02	Jungle green						334234004397
Durable and versatile women's helmet for climbing and	Helmets	A048AB02	Jungle green						334254084397
Durable and versatile women's nelmet for climbing and mountaineering	Helmets	A048AB02 A049AA00 A049AA01	Jungle green Blue Violet	-	330 g	48 - 54 cm	PT	8	334254082954 334254082954



	Reference	Color	Size	Weight	Head Circumference	Made in	Case quantity	EAN code	
Caving Helmets									_
BOREO® CAVING	 A042SA02	White	S/M	335 g	48 - 58 cm	TN	8	3342540841307	
Caving helmet with mounting plates for DUO headlamp	A042SA03		M/L	355 g	53 - 61 cm			3342540841314	

	Reference	Weight	Specifics	Made in	Case quantity	EAN code
Helmet Accessories				*		
Absorbent Replacement Foam	A042MA00	10 g	-	TN	50	3342540820937
Non-Absorbent Replacement Foam	A042MB01	10 g	-	П	50	3342540841796
































Petzl Belay Systems: Two Types of Devices

:

Belay Devices with Cam-Assisted Blocking

• Working Principle




When a climber falls or rests, the rope tightens and the cam pivots to pinch the rope and block it.

- Advantages
- Comfortable belay with cam-assisted blocking, which minimizes the strength required of the brake-side hand and is especially useful for working a route: trying a move multiple times and holding the climber
- Considerable leeway for brake-side hand position, regardless of the angle between the climber side and brake side of the rope
- Exceptionally comfortable descent, with an ergonomic handle that gives you progressive control of the rope feed





NEOX® Ideal for lead climbing




NEOX® features an integrated wheel that allows you to smoothly and quickly pay out slack to the climber.



GRIGRI®

Compact and versatile for belaying lead


and top rope climbing



For lead and top rope climbing, GRIGRI® provides comfortable belaying and control of the descent.



GRIGRI® +
Optimized for top rope climbing, frequent use, and learning



With an anti-panic handle and top rope mode that makes taking up slack easier, GRIGRI® + is specifically designed for learning.

Manual Braking Belay/Rappel Devices

Working Principle



When a climber falls or rests, the brake hand grips the rope firmly and pulls it downward, the rope gets pressed into the braking grooves, thus increasing the friction until the rope stops.

- Advantages
- Simple, compact, and lightweight
- Compatible with single, half, and twin dynamic ropes
- Comfortable rappels due to efficiency of the braking grooves



REVERSO®


Versatile, lightweight belay/rappel device, for use with one or two rope strands and ability to belay a second climber from the anchor




VERSO

Compact, lightweight belay/rappel device, for use with one or two rope strands and for rappelling

Choosing Your Belay Device







		Reference	Color	Weight	Rope Diameter	Made in	Case quantity	EAN code
Belay Devices With Cam-Assisted	Blocking							
NEOX®		D016AA01	Orange	235 g	8.5 to 11 mm single rope	FR	12	334254084404
Belay device with cam-assisted	(12)	D016AA00	Light gray					334254084403
blocking, optimized for lead climbing		D016AA02	Black					334254084405
GRIGRI®		D014BA02	Blue	175 g	8.5 to 11 mm single rope	FR	17	334254082555
Compact and versatile belay device		D014BA01	Red					334254082554
with cam-assisted blocking for lead		D014BA00	Gray					334254082553
and top rope climbing								
GRIGRI® +		D13A G	Gray	200 g	8.5 to 11 mm single rope	FR	17	334254010653
Belay device with cam-assisted		D13A AG	Orange					334254010654
blocking and anti-panic handle, optimized for learning and top rope	O	D13A VI	Violet					334254010655
climbing								
Manual Braking Belay/Rappel Devi	ices							
REVERSO®		D017AA00	Gray	57 g	Ropes: - Single: 8.5 to 10.5 mm	GB	18	334254082591
Versatile, lightweight belay/rappel	MIR	D017AA01	Green		- Half: 7.1 to 9.2 mm			334254082593
device, for use with one or two rope strands and ability to belay a second climber from the anchor		D017AA02	Red		- Twin: 6.9 to 9.2 mm			334254082592
					_			
VERSO	-	D019AA00	Gray	55 g	Ropes: - Single: 8.5 to 11 mm	GB	18	334254082594
VERSO Compact, lightweight belay/rappel device, for use with one or two rope strands and for rappelling		D019AA01	Green		- Half: 7.1 to 9.2 mm - Twin: 6.9 to 9.2 mm			334254082595
Descenders								
HUIT		D02	Gray	100 g	8 to 13 mm rope	FR	15	334254001049
Figure-eight descender	8							
HUIT ANTIBRULURE Figure-eight descender with anti-burn tab	\$	D01	Black	110 g	8 to 13 mm rope	FR	15	334254000174
Caving Descenders								
STOP		D009AA00	Blue	350 g	8.5 to 11 mm low stretch	FR	10	334254082855
Assisted braking descender for caving					kernmantle rope			
SIMPLE		D004AA00	Red	240 g	8.5 to 11 mm low stretch kernmantle rope	FR	15	334254082856
Simple, lightweight descender for caving					кентание торе			
RACK		D11	-	470 g	Low stretch kernmantle rope - One rope strand: 9 to 13 mm	FR	25	334254000206
Brake bar descender for long descents	Ŧ				- Two rope strands: 8.5 to 11 mm			



	Reference	Color	Weight	Rope Diameter	Made in	Case quantity	EAN code
FREINO Z Automatic locking carabiner with friction spur for STOP and SIMPLE descenders	M042AA00	-	75 g	-	GB	25	3342540828575
Pulley for SIMPLE Pulley for SIMPLE caving descender	D004CA00	-	52 g	-	FR	50	3342540828582
Swinging Brake Bar With Hook for RACK	D11250	-	-	-	FR	50	3342540002104
Brake Bar Without Hook for RACK	D11200	-	-	-	FR	50	3342540002098
Anodized, Fixed Brake Bar for RACK	D11300	-	-	-	FR	50	3342540002111
Canyoning Descenders							
PIRANA GUIDE Adjustable friction descender with spur and locking slot for canyoning	D005AB00	Orange	110 g	8 to 13 mm rope	TW	10	3342540842113
PIRANA CLUB	D005BA00	Green	90 g	8 to 13 mm rope	TW	18	3342540839045
Adjustable friction descender for canyoning	D005BA01	Black					3342540839052







































Types of Ropes

Dynamic Ropes

Single Ropes 1

Ropes used as a single strand. These are mainly used for single-pitch climbing. Some climbers also use them for multi-pitch climbing or mountaineering.

Half (2) and Twin (3) Ropes

These are certified to two types of the CE EN 892 standard.

- Half Ropes: ropes used in pairs that may be clipped separately or together during progression. They are recommended for rappels and to facilitate rope drag management. They provide a backup in case one of the strands is damaged by a falling rock or a sharp edge.
- Twin Ropes: ropes used in pairs that, unlike half ropes, must always be clipped together during progression. They are recommended for rappels.

Multi-Type Ropes

Multi-type ropes are certified to three types of the CE EN 892 standard. They may be used as a single, half, or twin rope.

Low Stretch Kernmantle Ropes

Low stretch kernmantle ropes have low elongation and are very resistant to wear and abrasion. They're designed for canyoning, caving, hauling, and installing fixed ropes.

Treatment and Finishes on Petzl Ropes



Special treatment stabilizes core strands and improves consistency, providing excellent grip and consistent handling over time.



The core and the sheath are bonded together at the rope ends for greater durability and to prevent frayed ends (except for the 200-meter length).



Specific coil makes the rope ready for use; helps the user avoid initial uncoiling mistakes (except for the 200-meter length).



Indicates the middle of the rope for easier rope management (except for the 200-meter length).

Additional Treatments For Mountaineering Ropes



The UIAA Guide Dry treatment is our most complete water repellent treatment for frequent use in wet environments: ice climbing and mountaineering. It meets the requirements of the UIAA Water Repellent Test and improves rope's resistance to dirt and abrasion.



Dry treatment making the rope more resistant to water, dirt, and abrasion. Handling, grip, and other characteristics are maintained longer in cold, wet conditions.

Starting in 2025, all Petzl ropes, including those featuring the UIAA Guide Dry treatment and Duratec DRY, will be made without PFAS (per- and polyfluoroalkyl substances), in order to reduce our environmental impact.




































Choosing Your Dynamic Rope

	Additional Treatment	Weight per Meter	Optimized for
Multi-Type			
VOLTA® GUIDE 9 mm	Guide UIAA DRY	54 g	Ice Climbing, Mixed Climbing Performance Mountaineering Performance Outdoor Climbing
VOLTA® 9.2 mm	Duratec DRY	55 g	Performance Outdoor Climbing Mountaineering
Single			
ARIAL® 9.5 mm	Duratec DRY	58 g	Outdoor Climbing Mountaineering
CONTACT® 9.8 mm		60 g	Indoor and Outdoor Climbing
CONTACT® WALL 9.8 mm		60 g	Indoor Climbing
MAMBO® 10.1 mm		65 g	Indoor and Outdoor Climbing
Half / Twin			
PASO® GUIDE 7.7 mm	Guide UIAA DRY	40 g	Ice Climbing, Mixed Climbing Performance Mountaineering
RUMBA® 8 mm	Duratec DRY	44 g	Multi-Pitch Climbing and Mountaineering
TANGO® 8.5 mm		47 g	Multi-Pitch Climbing

Choosing Your Low Stretch Kernmantle Rope

		Specifics	Weight per Meter	Optimized for		
PUSH + 9 mm	NEW 2025	Lightweight, Compact, Durable	54 g	Independent Carvening, Caving, and Hauling		
PUSH 9 mm		Lightweight and Compact	55 g	Independent Canyoning, Caving, and Hauling		
CLUB + 10 mm	NEW 2025	Excellent Handling and Durability	67 g			
CLUB 10 mm		Excellent Handling	70 g	Group Use Canyoning, Caving, and Installing Fixed Lines		



Low Stretch Kernmantle Ropes



PUSH + 9 mm

Ultra-durable 9 mm low stretch kernmantle rope for canyoning and caving

The PUSH + is an ultra-durable, low stretch, 9 mm kernmantle rope designed for independent use canyoning and caving. Its hybrid high-modulus polyethylene (HMPE) sheath construction offers a good grip and optimal strength-to-weight ratio. Available in four lengths: 40, 60, or 70 meters coiled, or 200 meters in bulk.





Its construction makes it easy to grip and allows good descent control.

- Low stretch kernmantle rope with good handling for independent use canyoning and caving, or for hauling:
- EverFlex treatment: special treatment and weave improve the rope's consistency; offers excellent grip and consistent handling over time
- Its construction provides a solid grip for good descent control
- Its diameter and flexibility make it highly compact and easy to stack in a rope bag
- Optimal strength-to-weight ratio:
- Hybrid high-modulus polyethylene (HMPE) and

nylon sheath construction provides excellent abrasion resistance

- Maintains flexibility, which helps prolong its lifespan
- Different finishes depending on length:
- 40-, 60- and 70-meter lengths come ready to use, equipped with a ClimbReady coil, Middle Mark identification, and UltraSonic Finish on the rope ends, and include a margin to compensate for rope shrinkage during the first few uses
- 200-meter length comes stacked in the box so different lengths can be optimized according to use

Product Specifications

- Diameter: 9 mm
- Material(s): Nylon, polyester, high-modulus polyethylene
- Certification(s): CE EN 1891 type B, UIAA
- Breaking strength: 23 kN
- Strength tied with a figure-eight knot: 14 kN
- Shock load (factor 0.3): 4.2 kN
- Number of factor 1 falls: 10
- Weight per meter: 54 g
- Construction: 32 carrier
- Percentage of sheath: 43 %
- Static elongation: 3.2 %

Related product(s)

PIRANA GUIDE D005AB00 CANYON GUIDE C086BA00/1 DUAL CANYON GUIDE L086BB00

Specifications by Reference

Low Stretch Kernmantle Ropes



CLUB + 10 mm


Ultra-durable 10 mm low stretch kernmantle rope for canyoning and caving

The CLUB + is an ultra-durable, low stretch, 10 mm kernmantle rope designed for canyoning and caving groups. Its hybrid high-modulus polyethylene (HMPE) sheath construction offers a good grip and great abrasion resistance. Available in four lengths: 40, 60, or 70 meters coiled, or 200 meters in bulk.





The rope construction and diameter contribute to excellent descent control and provide very good grip suitable for a wide range of users.



- Diameter: 10 mm
- Material(s): Nylon, polyester, high-modulus polyethylene
- Certification(s): CE EN 1891 type B, UIAA
- Breaking strength: 28 kN
- Strength tied with a figure-eight knot: 18 kN
- Shock load (factor 0.3): 4.5 kN
- Number of factor 1 falls: 15
- Weight per meter: 67 g
- Construction: 40 carrier
- Percentage of sheath: 38 %
- Static elongation: 2.3 %

Related product(s)

PIRANA CLUB D005BA00/1 CANYON CLUB C086AA00 DUAL CANYON CLUB L086AC00

Specifications by Reference

See page 56

- Low stretch kernmantle rope with very good grip for group canyoning and caving, or installing fixed lines:
- EverFlex treatment: special treatment and weave improve the rope's consistency; offers excellent grip and consistent handling over time
- Rope construction and diameter contribute to excellent descent control and provide very good grip suitable for a wide range of users
- Optimal durability:
- Hybrid high-modulus polyethylene (HMPE) and nylon sheath construction provides excellent

abrasion resistance

- Maintains flexibility, which helps prolong its lifespan
- Different finishes depending on length:
- 40-, 60- and 70-meter lengths come ready to use, equipped with a ClimbReady coil, Middle Mark identification, and UltraSonic Finish on the rope ends, and include a margin to compensate for rope shrinkage during the first few uses
- 200-meter length comes stacked in the box so different lengths can be optimized according to use

Technical Cords



CAVING LINE 7 mm

Ultra-compact and ultra-lightweight, low stretch cord designed for cave exploration

Designed for long subterranean explorations, the CAVING LINE is a low stretch cord, 7 mm in diameter. Extremely compact and lightweight (30 g/m), it is easy to store in a pack. It has the benefit of the EverFlex treatment, ensuring continued flexibility over time. The sheath texture gives it good grip when descending and its construction provides excellent abrasion resistance. Comes in 200-meter length.





Thick, textured sheath offers good grip.

- Ultra-compact cord with good grip:
- Ultra-compact and ultra-lightweight to limit bulk in the kit during long explorations
- Thick, textured sheath offers good grip
- Excellent balance of low stretch and elasticity for efficient ascents
- Compatible with SIMPLE and STOP caving descenders, with CROLL, BASIC, and PANTIN ascenders, and with MICRO TRAXION and NANO TRAXION progress-capture pulleys (1)
- Remains flexible over time:

- EverFlex treatment: special treatment and weave improve the rope's consistency; offers good grip and consistent handling over time
- Easy to store in the pack, because the cord does not stiffen
- flexible cord makes it easier to tie and untie knots
- Optimal strength-to-weight ratio:
- Very lightweight (30 g/m)
- Hybrid polyester and high-modulus polyethylene (HMPE) sheath construction offers good grip and great abrasion resistance

(1) Details about compatibility and possible uses for this cord can be found in technical tips at www.petzl.com

Product Specifications

- Diameter: 7 mm
- Material(s): Nylon, polyester, high-modulus polyethylene
- Certification(s): CE 564, UIAA
- Strength tied with a figure-eight knot: 10 kN
- Weight per meter: 30 g
- Construction: 24 carrier
- Percentage of sheath: 42 %

Related product(s)

SIMPLE D004AA00 STOP D009AA00 AVEN C013AA00/1 SIROCCO® A073DA00/1/2/3 BOREO® CAVING A042SA02/3 DUO RL E103AA00

Specifications by Reference


		Reference	Length	Color	Weight per Meter	Made in	Case quantity	EAN code
Oynamic Single Ropes								
/OLTA® GUIDE 9 mm	(R36AO 030	30 m	Orange	54 g	DE	4	3342540106215
Ultra-lightweight multipurpose		R36AO 040	40 m				3	3342540817654
9 mm rope with UIAA Guide Dry reatment, for ultimate climbing		R36AO 050	50 m				3	3342540106239
and mountaineering performance		R36AO 060	60 m				3	3342540106222
	~	R36AO 080	80 m				2	3342540833937
		R36AO 100	100 m				2	3342540823211
/OLTA® 9.2 mm	((R35AO 030	30 m	Orange	55 g	DE	4	3342540099128
Ultra-lightweight, multi-type 9.2 mm		R35AN 050	50 m	Gray			3	3342540096806
ope for performance climbing and mountaineering		R35AO 050		Orange				3342540096813
	1	R35AN 060	60 m	Gray			2	3342540096820
	₹ ব	R35AO 060		Orange				3342540096837
		R35AN 070	70 m	Gray			2	3342540096844
		R35AO 070		Orange				3342540096851
		R35AN 080	80 m	Gray	_		2	3342540096868
		R35AO 080		Orange				3342540096875
		R35AO 100	100 m	Orange			2	3342540096882
ADIAL® O. F	1.1	R34AC 060	60 m	Red	58 g	DE	2	3342540833876
ARIAL® 9.5 mm ightweight and durable		R34AD 060		Blue				3342540833906
9.5 mm single rope with Duratec		R34AC 070	70 m	Red				3342540833883
Ory treatment for climbing and mountaineering		R34AD 070		Blue				3342540833913
	//	R34AC 080	80 m	Red				3342540833890
		R34AD 080		Blue				3342540833920
CONTACT® 9.8 mm	//	R33AC 060	60 m	Blue	60 g	DE	2	3342540833814
9.8 mm diameter lightweight		R33AD 060		Green				3342540833845
single rope for gym or rock climbing		R33AC 070	70 m	Blue				3342540833821
		R33AD 070		Green				3342540833852
	11	R33AC 080	80 m	Blue				3342540833838
		R33AD 080		Green				3342540833869
CONTACT® WALL 9.8 mm		R33AC 030	30 m	Blue	60 g	DE	4	3342540835139
9.8 mm diameter lightweight		R33AD 040	40 m	Green			3	3342540835146
single rope for gym climbing								
MAMBO® 10.1 MM		R32AC 050	50 m	Turquoise	65 g	DE	2	3342540833753
10.1 mm diameter single rope		R32AD 050		Green				3342540833784
vith good grip for gym or rock Slimbing		R32AC 060	60 m	Turquoise				3342540833760
Mittigood grip for gyrrror rock Slimbing		R32AD 060		Green				3342540833791
	// .							0040540000777
	# #	R32AC 070	70 m	Turquoise				3342540833777

		Reference	Length	Color	Weight per Meter	Made in	Case quantity	EAN code
Dynamic Half Ropes								
PASO® GUIDE 7.7 mm	((R22BG 050	50 m	Gray	40 g	DE	4	334254010603
7.7 mm diameter half rope		R22BO 050		Orange				334254010600
with UIAA Guide Dry treatment for technical mountaineering		R22BG 060	60 m	Gray			3	334254010604
and ice climbing		R22BO 060		Orange				334254010601
		R22BG 070	70 m	Gray			3	334254010605
		R22BO 070		Orange				334254010602
RUMBA® 8 mm	((R21BR 050	50 m	Red	44 g	DE	4	334254010626
3 mm diameter half rope		R21BB 050		Blue				334254010625
with Duratec Dry treatment for multi-pitch climbing	<u>))</u>	R21BR 060	60 m	Red			3	334254010627
and mountaineering	//	R21BB 060		Blue				334254010624
TANGO® 8.5 mm	((R20AW 050	50 m	White/Blue	47 g	DE	3	334254009689
8.5 mm diameter half rope for		R20AB 050		Yellow				334254009690
multi-pitch and alpine rock routes))	R20AW 060	60 m	White/Blue			2	334254009691
		R20AB 060		Yellow				334254009692
Low Stretch Kernmantle Ropes PUSH + 9 mm Ultra-durable 9 mm low stretch kernmantle rope for canyoning and caving	W ₂₅	R040AA00 R040AA01 R040AA02	40 m 60 m 70 m	Orange	54 g	CZ	3 2 2	334254084826 334254084826 33425408482
	/	R040AA03	200 m				1	334254084840
PUSH 9 mm	((R40AO 040	40 m	Orange	55 g	CZ	3	334254010476
mm diameter low stretch		R40AW 040		White				334254081764
ernmantle rope designed for ndependent caving and canyoning	1)	R40AO 060	60 m	Orange			2	334254010477
	//	R40AO 070	70 m				2	334254010478
		R40AO 200	200 m				1	334254010461
		R40AW 200	200 m	White			1	334254010459
CLUB + 10 mm	<u> </u>	R039AA00	40 m	Orange	67 g	CZ	3	334254084822
Ultra-durable 10 mm low stretch	a	R039AA01	60 m				2	334254084823
kernmantle rope for canyoning and caving		R039AA02	70 m				2	334254084824
	/	R039AA03	200 m				2	334254084839
CLUB 10 mm	((R39AO 040	40 m	Orange	70 g	CZ	3	334254010447
10 mm diameter low stretch		R39AW 040		White				334254081763
ernmantle rope designed or caving and canyoning		R39AO 060	60 m	Orange			2	334254010446
- , ,		R39AO 070	70 m				2	334254010445
	* * _	R39AO 200	200 m				1	334254401044
		1100/10 200						

		Reference	Diameter	Length	Color	Weight per Meter	Made in	Case quantity	EAN code
echnical Cords			J	I.	I			ļ.	Į
PUR LINE 6 mm	-	R010AA00	6 mm	65 m	White/Orang	e 20 g	FR	6	3342540832589
Ultra-lightweight and ultra-durable hyperstatic cord designed for limbers and mountaineers to haul backs and retrieve single certified opes during rappels		R010AA01		200 m				3	3342540832596
AD LINE O		R011AA00	6 mm	30 m	Orange	22 g	CZ	3	3342540832602
RAD LINE 6 mm Iltra-light and compact hyperstatic ord designed for skiers doing revasse rescue, rappelling, r roping up on a glacier to get out of a crevasse zone		R011AA01		60 m				4	3342540832619
CAVING LINE 7 mm Ultra-compact and ultra-lightweight, ow stretch cord designed for cave exploration	JEW 2025	R041AA00	7 mm	200 m	Orange	30 g	CZ	1	3342540848849
SEGMENT 8 mm Compact and lightweight, but stretch cord designed or cave exploration		R076AA06	8 mm	200 m	White	43 g	CZ	1	3342540817111
Kits	-								
RAD SYSTEM A complete ultra-lightweight and compact kit with specific cord, designed for skiers doing crevasse rescue, rappelling, or roping up on a glacier to get out of a crevasse cone	PETE	K011AB00	6 mm	Cord length: 30 m	-	970 g	CZ	3	3342540846173
Cords									
Cords	((((R044AA00	4 mm	120 m	Orange	10 g	FR	5	3342540820784
Semi-static cords in 120-meter rolls		R045AA00	5 mm		Red	15 g		4	3342540820852
		R046AA00	6 mm		Green	24 g		2	3342540820791
	////	R047AA00	7 mm		Blue	31 g		2	3342540820869
echnical Hiking Cords									
CONGA® 8 mm	(R42AB 020	8 mm	20 m	Blue	41 g	FR	15	3342540098381
3 mm diameter cord for installing a handline when on a hike		R42AB 030		30 m				10	3342540098374
		Reference	Color		Weight	Specifics	Made in	Case quantity	EAN code
Rope Bags			1				1	1	
PLIT		S013AA00	Gray		600 g	Volume: 8 to 25 liters	VN	8	3342540841185
Rope bag	THE AND ADDRESS OF THE PARTY OF	S013AA01	Red/Oran	ge		2 12 20 11010			3342540841192
(I IEE		S010AA00	Gray		750 g	Volume: 36 liters	VN	10	3342540825796
(LIFF Rope bag for rock climbing	Pera	S010AA01	Red/Oran	ge	-				3342540825802
		S012AA00	Black		280 g	Dimensions:	VN	32	3342540835153
TARP arge rope tarp	PETZL.	JU 12MAUU	DIACK		200 g	140 x 140 cm	VIN	J2	0042040000100



Features of Petzl Carabiners



Fluid Interior Design

The fluid interior design of Petzl locking carabiners limits the risk of the nose getting caught while clipping and facilitates rotation of the carabiner.



H-Frame

Carabiners have an H-frame that provides an optimal strength-toweight ratio, protects the markings from abrasion, and offers excellent handling, even when wearing gloves.





With Keylock

Without Keylock

Keylock System

To provide optimal efficiency, all Petzl carabiners use the Keylock system: the nose of the carabiner, where the body and gate meet, does not have a notch that could snag on anchors, ropes, harness equipment loops, or other gear.

Locking Carabiners

Shapes and Uses



D Shape

D-shaped carabiners are the most versatile and are efficient in a variety of different situations.



Pear Shape

These carabiners have a large basket. They are recommended for carrying gear, tying a Munter hitch, or to use at anchor points.



Oval Shape

These carabiners are designed for use with pulleys and progress-capture pulleys.



Locking Systems





SCREW-LOCK

With an easy-to-open gate, it can be locked or not according to need. The red indicator provides a visual warning when the carabiner is unlocked. This system is ideal for harsh environments where contaminants (mud, ice) could cause an automatic locking system to jam.





TWIST-LOCK

Automatic locking system designed for very frequent use, it can be attached at the end of a lanyard or used to connect a GRIGRI belay device to a harness. Doubleaction opening by turning the sleeve, then pressing on the gate.



BALL-LOCK

is locked.



Automatic locking system

designed for frequent use.

the green indicator, turning

the sleeve, then pressing on

the gate. The green button

indicates when the gate

The triple-action opening

consists of pressing on





TRIACT-LOCK

Automatic locking system. The triple-action opening consists of raising and turning the sleeve, then pressing on the gate.







Non-Locking Carabiners

MonoFil or Classic Gate



Very light due to MonoFil technology, these carabiners provide a very smooth clip. They also feature the Keylock system to help avoid snagging.




Classic straight gates have grooves for better grip when opening the carabiner.

Different Sizes



Larger carabiners are easier to handle and clip, even while wearing gloves. Smaller carabiners are more lightweight and compact.

Quickdraws



Quickdraw slings are available in two or three lengths to reduce rope drag in certain situations, such as small roofs, overhangs, or offset anchor points.



All quickdraws come with a STRING to maintain the proper orientation of the carabiner and facilitate clipping.

Choosing Your Petzl Quickdraws



ANGE FINESSE For low weight

Designed for climbing situations where every gram counts, ANGE FINESSE quickdraws are ultra-light and compact. Available in two lengths and two carabiner sizes.



SPIRIT EXPRESS For greater versatility

A lightweight yet ergonomic solution, SPIRIT EXPRESS quickdraws are ideal for working routes on single pitch or multi-pitch climbs. Available in three lengths.



DJINN AXESS For optimal durability

Combining durability with good handling, DJINN AXESS quickdraws are designed for sport climbing. Available in three lengths.

Specialized Locking Carabiners



VERTIGO WIRE-LOCK

Carabiner for SCORPIO VERTIGO lanyard

The VERTIGO WIRE-LOCK carabiner is designed for use on the ends of SCORPIO VERTIGO via ferrata lanyards. Its excellent grip and automatic locking system make it easy to handle when passing intermediate anchors. The large opening and the Keylock system allow the carabiner to be easily connected to the cable. The WIRE-LOCK increases the lifespan of the product when used intensively, compared to classic locking systems.





Keylock system to avoid accidental carabiner snagging.



WIRE-LOCK automatic locking system makes it easy to handle when passing intermediate anchors.

δ

- Designed for use on the ends of SCORPIO VERTIGO and SCORPIO VERTIGO SW via ferrata
- lanyards
 Easy to handle when passing intermediate anchors:
- Ergonomic shape provides excellent grip
- WIRE-LOCK automatic locking system is easy to use
- Large opening to easily connect carabiner to cable
- Keylock system helps prevent the carabiner from snagging during use
- Specifically designed for intensive use: WIRE-LOCK locking optimizes the number of opening and closing cycles of the gate and increases longevity of the carabiner
- Can be used for canyoning, along with PIRANA CLUB and PIRANA GUIDE descenders

Product Specifications

- Material(s): Aluminum, stainless steel, nylon
- Certification(s): CE EN 12275 types K/B, UIAA

Specifications by Reference



		Reference	Version	Weight	Ô	- 0-	Ş	Made in	Case quantity	EAN code
Locking Carabiners			l.					1		ı
WILLIAM Large, pear-shaped locking carabiner for belay stations and belaying with a Munter hitch	0	M36A SL M36A BL	SCREW-LOCK BALL-LOCK	85 g 90 g	27 kN	8 kN	8 kN	FR	20	3342540102361 3342540102316
Am'D D-shaped locking carabiner for attaching devices to a harness	0	M34A SL M34A BL M34A RL	SCREW-LOCK BALL-LOCK TWIST-LOCK	70 g 75 g 75 g	27 kN	8 kN	7 kN	FR	20	3342540102477 3342540102422 3342540102392
Sm'D Highly versatile, lightweight, compact, D-shaped locking carabiner	0	M39A SL M39A RL	SCREW-LOCK TWIST-LOCK	46 g 51 g	23 kN	8 kN	7 kN	FR	20	3342540817524 3342540817548
OK Oval carabiner for use with pulleys and ascenders	0	M33A SL M33A TL M33A BL	SCREW-LOCK TRIACT-LOCK BALL-LOCK	70 g 75 g 75 g	25 kN	8 kN	7 kN	FR	20	3342540815810 3342540815834 3342540815858
ATTACHE Locking pear-shaped carabiner with round-stock basket for smooth rope operation	0	M038AA00 M038AA01	SCREW-LOCK, YELLOW SCREW- LOCK, GRAY	58 g	21 kN	7 kN	6 kN	FR	20	3342540842762 3342540843660
ATTACHE BAR Pear-shaped locking carabiner with unidirectional positioning bar	Q	M038CA00	SCREW-LOCK	63 g	21 kN	7 kN	6 kN	FR	20	3342540842786
ROCHA Ultra-lightweight, ultra-compact, pear-shaped screw-lock carabiner	0	M027AA00 M027AA01	SCREW-LOCK, ORANGE SCREW-LOCK, LIGHT GRAY	45 g	23 kN	7 kN	6 kN	FR	20	3342540842793 3342540842939

		Reference	Version	Weight	Ô	←① →	Ş	Made in	Case quantity	EAN code
Specialized Locking Carabiners			I.							
FREINO Carabiner with friction spur for descenders	0	M42	TWIST-LOCK	85 g	25 kN	10 kN	9 kN	GB	25	3342540061859
0141		M37 SL	SCREW-LOCK	86 g	20 kN	15 kN	7 kN	IT	30	3342540071957
OMNI Semi-circle carabiner for closing a harness		M37 TL	TRIACT-LOCK	92 g						334254007197
VERTIGO WIRE-LOCK Carabiner for SCORPIO VERTIGO lanyard	NEW 2025	M040AB00	WIRE-LOCK	95 g	25 kN	10 kN	8 kN	FR	20	3342540848542
Non-Locking Carabiners										
ANGE S	1	M57 O	Orange	28 g	20 kN	7 kN	9 kN	FR	28	3342540088986
Ultra-light, compact carabiner with MonoFil gate		M57 G	Gray							3342540088979
ANGE L		M59 B	Blue	34 g	22 kN	7 kN	10 kN	FR	28	3342540088993
Lightweight carabiner with MonoFil gate		M59 G	Gray							3342540089006
SPIRIT	n	M061AA00	Straight gate, Gray	37 g	23 kN	7 kN	8 kN	FR	28	3342540841413
Lightweight, versatile carabiner for sport climbing	กั	M061AB00	Bent gate, Blue							3342540841437
	Õ	M061AB02	Bent gate, Gray							3342540841840
	ă	M061AB03	Bent gate, Violet							3342540841826
	ă	M061AB04	Bent gate, Green							3342540841833
	Ö	M061AB05	Bent gate, Red							3342540841857
	$\sqrt{0}$	M061AB06	Bent gate, Yellow							3342540841864
SPIRIT 6-Pack		M061AB01	Bent Gate	37 g	23 kN	7 kN	8 kN	FR	10	3342540841444
DJINN	0	M060LA00	Straight	44 g	23 kN	8 kN	9 kN	FR	28	3342540841390
Durable carabiner for sport climbing	0	M060LB00	gate, Gray Bent gate, Turquoise							3342540841406
	Ö	M060LB01	Bent gate, Violet							3342540841529
Sm'D WALL Compact, lightweight D-shaped carabiner ideal for aid climbing and racking gear	0	M39A S	Yellow	41 g	23 kN	8 kN	7 kN	FR	20	334254081753
Carabiner Accessories										
BAR Removable positioning bar for ATTACHE SCREW-LOCK carabiner		M029AA00	-	5 g	-	-	-	IT	40	3342540845015



			Sling		Car	abiner	Sling	Made	Case		
		Reference	Length	Weight	Upper	Lower	Strength	in	quantity	EAN code	
Quickdraws											
ANGE FINESSE	000	M057AA00	10 cm	63 g	ANGE S	ANGE S	22 kN	FR	10	3342540825192	
Ultra-light quickdraw	4440	M057AA01	17 cm	66 g	ANGE S	ANGE S				3342540825208	
for alpine, ice climbing, and mountaineering		M057BA00	17 cm	72 g	ANGE S	ANGE L				3342540825512	
	٥٥٥٥	M057CA00	17 cm	78 g	ANGE L	ANGE L				3342540825529	
SPIRIT EXPRESS		M061AC00	11 cm	89 g	SPIRIT	SPIRIT bent	22 kN	FR	20	3342540841451	
Lightweight, versatile quickdray	v any	M061AC01	17 cm	95 g	straight					3342540841468	
for sport climbing		M061AC02	25 cm	104 g					10	3342540841475	
DJINN AXESS Durable quickdraw	0000	M060LC01	11 cm	103 g	DJINN straight	DJINN bent Turquoise	22 kN	FR	20	3342540841482	
for sport climbing			M060LC02	11 cm	103 g		DJINN bent Violet				3342540841499
	0007	M060LC03	17 cm	110 g		DJINN bent Turquoise				3342540841505	
		M060LC04	25 cm	120 g		DJINN bent Turquoise			10	3342540841611	
DJINN AXESS 6-Pack Pack of six durable quickdraws for rock climbing	Q x 6	M060LC05	11 cm	103 g	DJINN straight	DJINN bent Turquoise	22 kN	FR	3	3342540842663	

		Reference	Length	Weight	Sling Strength	Made in	Case quantity	EAN code
Quickdraw Slings and Accessories					,			
FINESSE		C042AA00	10 cm	7 g	22 kN	MY	150	3342540825710
Ultra-light quickdraw sling with STRING		C042AA01	17 cm	10 g				3342540825727
EXPRESS		C040CA00	11 cm	15 g	22 kN	MY	150	3342540840416
Ergonomic quickdraw sling		C040CA01	17 cm	21 g			100	3342540840423
with STRING		C040CA02	25 cm	30 g				3342540840430
AXESS		C041BA00	11 cm	15 g	22 kN	MY	150	3342540840591
Durable quickdraw sling		C041BA01	17 cm	22 g				3342540840614
with STRING		C041BA02	25 cm	32 g				3342540840621
STRING M	99	M090BA00	M	3 g	-	FR	18	3342540841802
Quickdraw sling protector that also maintains the orientation of the carabiners on the EXPRESS and AXESS slings (pack of 10)	x 10							







Ice Axes for Each Activity

		Version	Ski Touring	Glacier Travel	Classic Mountaineering	Steep Skiing	Technical Mountaineering	Ice Climbing	Dry tooling
ERGONOMIC (1)	{	Mini Hammer					*	***	***
NOMIC (1)	(Mini Hammer					**	***	**
QUARK (1)	(Adze or Hammer			*	**	***	**	
GULLY	F	Adze or Hammer	**		*	***	**		
SUM'TEC (1)	F	Adze or Hammer	*		**	**	***	*	
SUMMIT® EVO	1	Adze		**	***		*		
SUMMIT®		Adze		**	***				
GLACIER NEW 2025		Adze	*	***	*				
RIDE		Adze	***	*		**			

★★★ Ideal Use

★★ Suitable Use

★ Possible Use

Modular Ice Axes With the ALPEN ADAPT System



With the ALPEN ADAPT system, all ice axes for technical mountaineering, ice climbing, and dry tooling have a modular head that can be adapted to the specific demands of the terrain. Certain picks and hand rests are also modular.

Ice Axe/Accessory Compatibility for Technical Mountaineering, Ice Climbing, and Dry Tooling

		ICE	PUR'ICE	DRY	PUR'DRY	PANNE	MARTEAU	MINI	MASSELOTTE	TRIGREST	GRIPREST	GRIPREST	V-LINK
			9		1		(JP	1	i		•	6	
ERGONOMIC	(•	•	•	•	•	•	•	•	•	•	•	•
NOMIC	(•	•	•	•	•	•	•	•	•	•	•	•
QUARK	F	•	•	•	•	•	•	•	•	•			•
GULLY	T								•	•			•
SUM'TEC	F	•	•	•	•	•	•	•	•	•			•

Compatible (included with ice axe)

• Compatible (not included with ice axe)

⁽¹⁾ Ice axe with modular head

Ice Axe Use and Standards

The range of Petzl ice axes is composed of different families:

- Glacier Travel and Ski Mountaineering Ice Axes
- Classic Mountaineering Ice Axes
- Technical Mountaineering Ice Axes
- Ice Climbing and Dry Tooling Ice Axes

Each ice axe features characteristics that are specific to its use on the certain terrain, including length, as well as shaft and pick shape.


Standards

In terms of standards, ice axes are divided into two types: Type 1 and Type 2. These types make a distinction between basic and technical ice axes.

This distinction is made using different tests:

- Shaft center-load pull test
- Shaft insertion strength test
- Pick levering test

These tests are detailed in the diagrams here.




Pull Test

Type 1 Ice Axes

These ice axes have a lower strength requirement than Type 2 ice axes. They are generally used for skiing, glacier travel, and classic mountaineering. For Type 1 ice axes, no marking is required, but if there is any, the marking is: B.


Type 2 Ice Axes

These ice axes have the highest strength required by the standard. They are primarily used for technical mountaineering, ice climbing, and dry tooling. For Type 2 ice axes, markings are required. The marking is: T.



F - Type 1 0.6 kN F - Type (2) 0.9 kN

Shaft Insertion Strength Test



Levering Test

Glacier Travel and Ski Mountaineering Ice Axes





Lightweight ice axe for glacier travel

The lightweight GLACIER ice axe is your go-to companion for glacier travel. With a curved head designed to fit comfortably in your hand, it provides excellent grip in the piolet-canne position. Its stainless steel spike and tapered pick offer high-quality anchoring in hard snow and ice. The GLACIER is available in four lengths: 50, 60, 68, and





Steel pick tapered to 3 mm at the tip for high-quality anchoring.



Stainless steel spike easily penetrates hard snow and ice.

Product Specifications

- Pick type: 1
- Shaft type: 1
- Material(s): tempered steel, aluminum, nylon
- Certification(s): CE, UIAA
- Comes with protective caps for the ice axe pick and spike

Spare Part(s)

PICK AND SPIKE PROTECTION U084AA00

Accessory(ies)

LINKIN U082AA00

Specifications by Reference

See page 72



- Holes in pick and spike provide lighter weight and options for connecting a carabiner
- Only 320 g in 50 cm version
- Comfortable grip:
- Supportive surface on upper part of the pick is designed to fit comfortably in your hand and provides excellent grip in the piolet-canne position
- Grooves cut into the shaft provide superior grip for

technical ice climbing

- High-quality anchoring:
- Steel pick tapered to 3 mm at the tip for highquality anchoring
- Stainless steel spike easily penetrates hard snow and ice
- Durable adze for efficiently carving out steps
- Available in four lengths: 50, 60, 68, and 75 cm

Glacier Travel and Ski Mountaineering Ice Axes



GLACIER LINKIN

Lightweight ice axe for glacier travel, with leash

The GLACIER ice axe with a leash! The lightweight GLACIER LINKIN ice axe is your go-to companion for glacier travel. With a curved head designed to fit comfortably in your hand, it provides excellent grip in the piolet-canne position. Its stainless steel spike and tapered pick offer high-quality anchoring in hard snow and ice. To help prevent dropping the ice axe, it is equipped with a removable leash that can be adjusted from 50 to 75 cm in length. The GLACIER is available in four lengths: 50, 60, 68, and 75 cm.





Steel pick tapered to 3 mm at the tip for high-quality anchoring.



Stainless steel spike easily penetrates hard snow and ice.



The LINKIN leash can be quickly removed by simply untying the knot.

• Lightweight:

- Holes in pick and spike provide lighter weight and options for connecting a carabiner
- Only 340 g in 50 cm version
- Comfortable grip:
- Supportive surface on upper part of the pick is designed to fit comfortably in your hand and provides excellent grip in the piolet-canne position
- Grooves cut into the shaft provide superior grip for technical ice climbing
- Designed to help prevent dropping the ice axe, the LINKIN leash is removable and can be adjusted from 50 to 75 cm in length
- High-quality anchoring:
- Steel pick tapered to 3 mm at the tip for highquality anchoring
- Stainless steel spike easily penetrates hard snow and ice
- Durable adze for efficiently carving out steps
- Available in four lengths: 50, 60, 68, and 75 cm

Product Specifications

- Pick type: 1
- Shaft type: 1
- Material(s): tempered steel, aluminum, nylon
- Certification(s): CE, UIAA
- Comes with protective caps for the ice axe pick and spike

Spare Part(s)

PICK AND SPIKE PROTECTION U084AA00

Accessory(ies)

LINKIN U082AA00

Specifications by Reference

Ice Axe Accessories



INKN

Removable leash for mountaineering ice

Removable, lightweight, and adjustable leash to help prevent dropping the ice axe. It is compatible with all types of ice axes equipped with a hole in the pick for connecting a carabiner or sling.



Can be quickly removed by simply untying the knot.



Comfortable wrist webbing.

- Removable, lightweight, and adjustable leash to help prevent dropping
- Can be quickly removed by simply untying the knot
- Adjustable from 50 to 75 cm in length
- Compatible with all types of ice axes equipped with a hole in the pick for connecting a carabiner or sling

Product Specifications

- Material(s): Nylon
- Certification(s): UIAA
- Adjustable from 50 to 75 cm
- Weight: 20 g

Specifications by Reference

See page 73



PICK AND SPIKE PROTECTION

Protective caps for ice axe pick and spike

Protective caps to cover your ice axe pick and spike during transport. Ventilation holes allow residual ice or snow to melt and water to drain. They are compatible with most Petzl ice axes.







Protective cap for pick.



Protective cap for spike.

- Protective caps for ice axe pick and spike during transport
- Ventilation holes allow residual ice or snow to melt and water to drain
- Compatible with most Petzl ice axes, depending on the pick

Product Specifications

- Material(s): polymer
- Weight: 10 g

Specifications by Reference









































	Reference	Version	Weight	Pick Type	Shaft Type	Made in	Case quantity	EAN code
Ice Climbing and Dry Tooling Ice Axes				J.	I			I
ERGONOMIC Performance ice climbing and dry tooling axe	U022AA00	-	635 g	2	2	FR	5	334254082364
NOMIC Ice climbing axe	U021AA00	-	585 g	1	2	FR	5	334254082363
Technical Mountaineering Ice Axes								
QUARK Vernetile ice que for technical	U019AA00	50 cm Adze	550 g	2	2	FR	5	334254082361
Versatile ice axe for technical mountaineering and ice climbing	U019BA00	50 cm Hammer						334254082362
GULLY Ultra-lightweight ice axe for	U014AA00	45 cm Adze	280 g	1	1	FR	5	334254081894
technical mountaineering and steep skiing	U014BA00	45 cm Hammer						334254081893
SUM'TEC	U015AA00	52 cm Adze	470 g	2	2	FR	5	334254081896
Modular ice axe for technical mountaineering	U015BA00	52 cm Hammer						334254081895
Classic Mountaineering Ice Axes								
SUMMIT® EVO	U14B 052	52 cm	400 g	1	1	FR	5	334254010065
Technical performance ice axe	U14B 059	59 cm	420 g					334254010066
for classic mountaineering	U14B 066	66 cm	450 g					334254010067
SUMMIT®	U13B 052	52 cm	360 g	1	1	FR	5	334254010062
Classic mountaineering ice axe	U13B 059	59 cm	380 g					334254010063
	U13B 066	66 cm	400 g					334254010064
Glacier Travel and Ski Mountaineering Ice Axes	3							
GLACIER NEW 2025	U025AA00	50 cm	320 g	1	1	FR	5	334254084740
Lightweight ice axe for glacier travel	U025AA01	60 cm	345 g					334254084751
	U025AA02	68 cm	365 g					334254084752
v	U025AA03	75 cm	385 g					334254084753
GLACIER LINKIN NEW 2025	U026AA00	50 cm	340 g	1	1	FR	5	334254084745
Lightweight ice axe for glacier cravel, with leash	U026AA01	60 cm	365 g					334254084746
/	U026AA02	68 cm	385 g					334254084747
· · · · · · · · · · · · · · · · · · ·	U026AA03	75 cm	405 g					334254084748
RIDE Compact, ultra-lightweight ice axe for ski touring and freeriding	U04A 45	45 cm	250 g	1	1	FR	5	334254010631

	Reference	Weight	Pick Type	Made in	Case quantity	EAN code	
ce Axe Accessories			<u> </u>				
CE Pick for ice and mixed climbing, designed for ice axes with modular heads	U19 ICE	129 g	2	FR	10	3342540088900	
PUR'ICE Pick designed specifically for ice climbing, ntended for ice axes with modular heads	U021CA00	105 g	1	FR	10	3342540824188	
DRY Pick for dry tooling, designed for ice axes with modular heads	U19 DRY	129 g	2	FR	10	3342540088917	
PUR'DRY Pick exclusively designed for dry tooling, for NOMIC and ERGONOMIC ice axes	U022BA00	140 g	2	FR	10	3342540824126	
MINI MARTEAU Ultra-light hammer for ice axes with modular nead	U021BA00	20 g	-	ES	10	3342540824201	
MARTEAU Hammer for ice axes with modular head	U19 MAR	58 g	-	ES	10	3342540088931	1
PANNE Adze for ice axes with modular head	U19 PAN	69 g	-	ES	10	3342540088924	
TRIGREST Adjustable hand rest for classic and technical mountaineering ice axes	U016AA00	15 g	-	FR	10	3342540819061	
GRIPREST NOMIC Hand rest for NOMIC ice axe	U021DA00	40 g	-	FR	10	3342540824218	
GRIPREST ERGONOMIC Hand rest for ERGONOMIC ice axe	U022CA00	35 g	-	TN	10	3342540824195	
FREELOCK Fixed leash for technical ice axe	J U81000	40 g	-	RO	10	3342540055353	
V-LINK Elasticated loss-prevention webbing for technical ice axes	U083AA00	80 g	-	CN	125	3342540817470	
LINKIN Removable leash for mountaineering ice axe	U082AA00	20 g	-	CN	20	3342540848832	
MASSELOTTES Weights for technical mountaineering, ce climbing, and dry tooling ice axes	U021EA00	65 g	-	ES	10	3342540824119	
PICK AND SPIKE PROTECTION Protective caps for ice axe pick and spike	U084AA00	10 g	-	TN	20	3342540848825	



Petzl crampons are designed for moving over different types of terrain. Each one is designed for a specific use. However, their versatility also enables efficient movement in mixed terrain that may be encountered in alpine environments.

Crampons for Each Activity

		Ski Touring	Snow Travel	Glacier Travel	Classic Mountaineering	Technical Mountaineering	Ice Climbing	Dry Tooling
DART						**	***	***
LYNX®						***	***	**
D-LYNX	P						*	***
SARKEN			*	**	**	***	*	
VASAK®		*	**	***	***	*		
IRVIS®		**	**	***	*			
IRVIS® HYBRI	D	***	**	**	*			
LEOPARD		***	***					

★★★ Ideal Use ★★ Suitable Use ★ Possible Use

Petzl Binding Systems

Petzl crampons are available with three different heel/toe bail combinations. This makes them adaptable to different footwear with or without heel and toe welts.

FLEXLOCK (FL)	=	BACK FLEX	+	FIL FLEX
LEVERLOCK FIL (LLF)	=	BACK LEVER	+	FIL
LEVERLOCK UNIVERSEL (LLU)	=	+ BACK LEVER	FIL	+ FIL FLEX



Modular Crampons With the ALPEN ADAPT System

Modular heel/toe bail binding system

Petzl offers a large range of heel and toe bails systems, making crampons compatible with a wide variety of boots: for mountaineering, skiing, snowboarding, or telemark skiing.

FIL and FIL FLEX bindings have three versions to adapt to different boot shapes, narrow or wide.



Starting in 2024, all these bindings will be compatible with all Petzl crampons.


Note: Reference the crampon technical notices to find information about compatibility between boots and binding systems.

Modular front and rear sections

The ALPEN ADAPT system also offers front and rear section modularity, so you can use the configuration that best fits your objective.

Example of system modularity with IRVIS crampons and LEVERLOCK UNIVERSEL (LLU version) bindings









The KIT CORD-TEC is composed of aluminum rear sections with ANTISNOW and CORD-TEC cords. It allows you to transform crampons into hybrid crampons, for a more lightweight and compact gear option.



= IRVIS HYBRID

Front sections to transition to different terrain









LYNX Front Sections have up to 14 points. The front points are modular (mono or dual-point) for climbing on ice and mixed terrain.



= SARKEN



Crampon Accessory Compatibility

			DART > 2019	LYNX® > 2024	SARKEN > 2016	VASAK > 2016	IRWIS® > 2016	IRVIS® HYBRID	LEOPARD
			The state of the s						
	FIL	18	•	•	•	•	•	•	•
	FIL SMALL	P	•	•	•	•	•	•	•
oails	FIL TELEMARK		•	•	•	•	•	•	•
Toe bails	FIL FLEX	D	•	•	•	•	•	•	•
	FIL FLEX SMALL	D	•	•	•	•	•	•	•
	FIL FLEX WIDE	D	•	•	•	•	•	•	•
Heel Bails	BACK LEVER		•	•	•	•	•	•	•
Heel	BACK FLEX	· · · · · · · · · · · · · · · · · · ·	•	•	•	•	•	•	•
Linking Bars	BARRETTES		•	•	•	•	•		
	FLEX	Alleger Control of the Control of th	•	•	•	•	•		
	DART Front Sections		•	•	•	•	•		
ions	LYNX® Front Sections	The second second		•	•	•	•		
Front Sections	SARKEN Front Sections			•	•	•	•		
5 G	VASAK Front Sections			•	•	•	•		
	IRVIS® Front Sections	A.		•	•	•	•	•	
	ANTISNOW DART	*	•						
»	ANTISNOW LYNX®			•					
ANTISNOW	ANTISNOW VASAK/SARKE	N SON			•	•			
∢	ANTISNOW IRVIS®						•	•	
	ANTISNOW LEOPARD	*							•
	LYNX® Front Point Kit	1//	•	•					
Other	KIT CORD-TEC		•	•			•	•	•
₽	CORD-TEC Replacement Cords	O						•	•
	ELASTIC STRAP		•	•	•	•	•	•	•



		Reference	Binding System	Weight	Number of Points	Boot Sizes	Made in	Case quantity	EAN code
Ice Climbing and Dry Tooling C	rampons				,		,		
DART Modular crampons for ice climbing and dry tooling		U001AB00	LEVERLOCK FIL	815 g	12	34 to 44 with M linking bars (included); 38 to 49 with BARRETTES (accessory)	FR	6	334254084358
LYNX® Modular crampons designed for ice climbing, technical mountaineering, and mixed climbing		U034AA00	LEVERLOCK UNIVERSEL	935 g (FIL) 965 g (FIL FLEX)	14	37 - 49	FR	6	334254084352
D-LYNX Mono-point crampon for dry tooling and mixed climbing	P	T25	-	400 g	9	-	FR	4	334254009225
Technical Mountaineering Cran	npons								
SARKEN Technical mountaineering crampons		U00AA800U	LEVERLOCK UNIVERSEL	875 g (FIL) 905 g (FIL FLEX)	12	36 - 50	FR	6	334254084483
Classic Mountaineering Cramp	ons								
VASAK® Classic mountaineering crampons		U007AA00	LEVERLOCK UNIVERSEL FLEXLOCK	845 g (FIL) 875 g (FIL FLEX) 895 g	12	36 - 50	FR	6	334254084481 334254084482
Glacier Travel and Ski Mountain	neering Crampon	e e							
IRVIS® Crampons for glacier travel,	Security Grampon	U006AA00	LEVERLOCK UNIVERSEL	740 g (FIL) 770 g (FIL FLEX)	10	36 - 45	FR	6	334254084355
classic mountaineering, and ski touring		U006BA00	FLEXLOCK	790 g					334254084356
IRVIS® HYBRID Hybrid crampons for ski touring and approaches involving glacier travel		U031AA00	LEVERLOCK UNIVERSEL	540 g (FIL) 570 g (FIL FLEX)	10	36 - 46	FR	6	334254084357
LEOPARD Ultra-lightweight crampon for ski touring and snow approaches		U004BA00	FLEXLOCK	385 g	10	36 - 46	FR	6	334254084474
	9								

		Reference	Weight	Compatibility	Made in	Case quantity	EAN code
Crampon Accessories							
FIL Toe bails that allow any type of Petzl crampon to be used with boots with toe welts	P	T03A FIL	30 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540818125
FIL SMALL Toe bails that allow any type of Petzl crampon to be used with narrow boots with toe welts	P	J001FA00	30 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540828629
FIL TELEMARK Toe bails that allow any type of Petzl crampon to be used with telemark boots		T03600	30 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540065291
FIL FLEX Toe bails that allow you to use Petzl crampons with mountaineering boots that don't have toe welts		J011AA00	70 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540844865
FIL FLEX SMALL Toe bails that allow you to use Petzl crampons with small or narrow sizes of mountaineering boots that don't have toe welts	D'	J012AA00	65 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540844858
FIL FLEX WIDE Toe bails that allow you to use Petzl crampons with snowboard or telemark boots that don't have toe welts		J013AA00	85 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540844841
BACK LEVER Heel bails that allow you to use Petzl crampons with mountaineering boots that have heel welts		J017AA00	105 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540844773
BACK FLEX Heel bails that allow you to use Petzl crampons with mountaineering or snowboard boots that don't have heel welts		J018AA00	125 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540844780
BARRETTES Linking bars for IRVIS, VASAK, SARKEN, LYNX and DART crampons		ТОЗА ВА	110 g	IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540104525
FLEX Linking bars that create a flexible connection between the front and rear Petzl crampon sections, for use with flexible and/or larger		T03A BS	70 g	IRVIS, VASAK, SARKEN, LYNX, DART	FR	10	3342540104518

	Reference	Weight	Compatibility	Made in	Case quantity	EAN code
DART Front Sections DART crampon front sections, adaptable to most Petzl crampons	U001EA00	360 g	IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	FR	12	3342540828612
LYNX® Front Sections LYNX crampon front sections, adaptable to most Petzl crampons	U023AA00	465 g	IRVIS, VASAK, SARKEN, LYNX	FR	12	3342540845299
SARKEN Front Sections SARKEN crampon front sections, adaptable to most Petzl crampons	T10A AV	405 g	IRVIS, VASAK, SARKEN, LYNX	FR	12	3342540104532
VASAK® Front Sections VASAK crampon front sections, adaptable to most Petzl crampons	T05A AV	375 g	IRVIS, VASAK, SARKEN, LYNX	FR	12	3342540104549
IRVIS® Front Sections IRVIS crampon front sections, adaptable to most Petzl crampons	TO3A AV	275 g	LEOPARD, IRVIS HYBRID, IRVIS, LYNX, VASAK, SARKEN	FR	12	3342540104563
ANTISNOW DART System compatible with DART crampons. It limits snow buildup under the crampons in a variety of snow conditions	U001DA00	-	DART	FR	10	3342540828605
ANTISNOW LYNX® System compatible with LYNX crampons. It limits snow buildup under the crampons in a variety of snow conditions	U020AA00	105 g	LYNX (U034AA00)	FR	10	3342540845312
ANTISNOW System included with crampons that limits snow buildup under the crampons in a variety of snow conditions	T03A AS T05A AS	-	IRVIS VASAK, SARKEN	FR	10	3342540104587 3342540104570
ANTISNOW LEOPARD System suitable for LEOPARD FL and LEOPARD LLF crampons. It limits snow buildup under the crampons in a variety of snow conditions	T01A AS	-	LEOPARD	FR	10	3342540106338
LYNX® Front Point Kit	T24850	150 g	LYNX, DART	FR	10	3342540092235



	Reference	Weight	Compatibility	Made in	Case quantity	EAN code
KIT CORD-TEC Ultra-lightweight crampon rear sections, adaptable to most Petzl crampons	U001GA00	120 g	DART, LYNX, IRVIS, IRVIS HYBRID, LEOPARD	FR	12	3342540828636
CORD-TEC Replacement Cords Replacement cords for the flexible linking system on LEOPARD LLF, LEOPARD FL, IRVIS HYBRID, and KIT CORD-TEC crampons	T01A COR	-	LEOPARD, IRVIS HYBRID	FR	10	3342540106321
ELASTIC STRAP Elastic straps designed for the LEVERLOCK FIL binding system	U001CA00	30 g	BACK LEVER	CN	10	3342540824461
FAKIR Pouch Durable crampon pouch	VO1	140 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	CN	15	3342540063341
CORD-TEC Pouch Ultra-light, compact pouch for CORD-TEC equipped crampons	U003BA00	30 g	LEOPARD, IRVIS HYBRID	TN	10	3342540828728
ULTRALIGHT Pouch Ultra-lightweight pouch for crampons	U003AA00	50 g	LEOPARD, IRVIS HYBRID, IRVIS, VASAK, SARKEN, LYNX, DART	TN	32	3342540828667





Petzl ascenders are designed for ascending fixed ropes, but they also have other uses including helping a second climber who is having trouble, hauling a victim out of a crevasse or up a wall, or self-belaying. For this, there are several types of ascenders: handled ascenders, chest ascenders, and backup ascenders.

38




Hand Ascenders

Because of their excellent handling, these ascenders are mainly used for ascending ropes. Their design also provides various ways to install the device on a rope to make a pulley system or haul a pack.






Rope ascent with hand ascender installed above the user



Hauling with an ASCENSION handled ascender



Pulley system with a BASIC ascender

Chest Ascenders

Installed directly to the harness, they are used with a hand ascender for ascending a rope.



CROLL® S
Reinforced chest ascender for thin to medium-diameter ropes




CROLL® L
Chest ascender
for large-diameter ropes

Backup Ascender




TIBLOC


Ultralight and compact, TIBLOC is a backup ascender that adapts readily to situations other than ascending ropes, such as pulley systems or progress capture.



Pulley System



Progress Capture



Ascending a Rope

Ascender Accessories

For greater efficiency and convenience when ascending, Petzl offers accessories for use with hand and chest ascenders.





PANTIN

Foot ascender



FOOTAPE

Adjustable webbing foot loop



FOOTCORD

Adjustable foot loop made with HMPE cord for greater versatility and optimal durability

Locking Systems



Rope blocking with toothed cam (all ascenders except TIBLOC)

The teeth initiate the locking action and the cam pinches the rope. Blocking is optimal in a variety of conditions, including when the rope is wet, frozen, or muddy, all while reducing the effort needed to slide the device upward.



Rope blocking via carabiner compression and toothed frame (TIBLOC)

The carabiner compresses the rope into the toothed frame. The self-cleaning slot enables use in a variety of conditions, including when the rope is wet, icy, or muddy. Ultra-lightweight solution using only the teeth and carabiner to block the rope.

Choosing Your Ascender

	ASCENSION	BASIC	CROLL® S	CROLL® L	TIBLOC
Ascender Type	На	nd	Ch	est	Backup
Locking System		Toothe	ed Cam		Carabiner/Teeth
Ideal Use	Rope ascent, hauling	Rope ascent, pulley system	Rope ascent, with a	a handled ascender	Rope ascent, haul system, progress capture
Rope Compatibility	8 to 13 mm	8 to 11 mm	8 to 11 mm	8 to 13 mm	8 to 11 mm
Weight	165 g	85 g	85 g	140 g	35 g

	Reference	Version	Weight	Rope Diameter	Made in	Case quantity	EAN code
Ascenders					ļ		
ASCENSION 🚱 😘	B17ALA	Left (BLACK)	165 g	8 to 13 mm	FR	10	3342540100411
Ergonomic handled ascender	B17ARA	Right (YELLOW)					3342540100404
CROLL® S Reinforced chest ascender for thin to medium-diameter ropes	B16BAA	-	85 g	8 to 11 mm	FR	12	3342540094307
CROLL® L Chest ascender for large-diameter ropes	B016AA00	-	140 g	8 to 13 mm	FR	16	3342540821057
PANTIN®	B02CLA	Left (BLACK)	85 g	8 to 13 mm	FR	8	3342540103771
Foot ascender	B02CRA	Right (YELLOW)					3342540103764
Multipurpose Ascenders							
BASIC Compact, versatile ascender	B18BAA	-	85 g	8 to 11 mm	FR	10	3342540094314
TIBLOC Ultra-lightweight emergency ascender	B01B	-	35 g	8 to 11 mm	FR	8	3342540101418
Ascender Accessories							
FOOTAPE Adjustable webbing foot loop	C47A	-	65 g	-	FR	8	3342540095229
FOOTCORD Adjustable cord foot loop	C48A	-	40 g	-	FR	10	3342540095236





		Reference	Weight	Rope Diameter	Efficiency	Made in	Case	EAN code
		Reference	weight	коре Біатетег	Efficiency	Made in	quantity	EAN Code
Progress-Capture Pulleys		P054AA00	150 g	7 to 11 mm	93 %	FR	15	3342540841871
MINI TRAXION High-efficiency, openable progress-capture pulley		P054AA00	150 g	7 10 11 111111	93 %	FR	15	334234064167
MICRO TRAXION High-efficiency, lightweight progress-capture pulley		P53	85 g	7 to 11 mm	91 %	FR	18	3342540091986
NANO TRAXION High efficiency, ultra-lightweight progress-capture pulley	63	P053AA00	53 g	7 to 11 mm	91 %	FR	8	334254083548
Crevasse Rescue Kits								
Crevasse Rescue Kits Kit for hauling and self-rescue from crevasses		K025AA00	370 g	8 to 11 mm	-	FR	4	3342540829374
Single Pulleys								
PARTNER Compact pulley with moving side plates		P52A	56 g	7 to 11 mm	91 %	FR	12	334254008781
RESCUE High-strength pulley with moving side plates		P50A	185 g	7 to 13 mm	95 %	FR	10	3342540087798
FIXE Pulley with fixed side plates		P05SO	90 g	7 to 13 mm	71 %	FR	12	3342540087347
OSCILLANTE Emergency pulley with moving side plates		P02A	42 g	7 to 11 mm	71 %	FR	24	3342540087330
ULTRALEGERE Emergency pulley	•	POOA	10 g	7 to 13 mm	-	FR	30	3342540087354
Prusik Pulleys								
MINI Lightweight Prusik pulley		P59A	80 g	7 to 11 mm	91 %	FR	10	3342540087729
GEMINI Double Prusik pulley		P66A	135 g	7 to 11 mm	91 %	FR	8	3342540087743
Transport Pulleys								
TANDEM® SPEED Efficient double pulley for travel along ropes		P21 SPE	270 g	Max Rope: 13 mm	95 %	FR	20	3342540041868
TANDEM® Double pulley for travel along ropes		P21	195 g	Max Rope: 13 mm	71 %	FR	20	3342540025929



Lanyards are essential in many activities including via ferrata, caving, and canyoning. Petzl offers lanyards with or without energy absorbers, that respond to the specific needs of these activities.


Via Ferrata Lanyards

• Lightweight and compact in order to easily move around



SCORPIO lanyards have a lightweight and ultra-compact energy absorber, reducing bulk and allowing the user to more easily move through the course.

• Two elasticized arms and a short arm



The elasticized arms offer long extension capacity for easier progression and to adapt to different heights. The short arm can be used to easily rest on a rung (carabiner not included).

• Easy to use, ergonomic carabiners



The VERTIGO WIRE-LOCK carabiners are lightweight and provide excellent grip.



Optimal grip with ergonomic EASHOOK carabiners. They are easy to handle when passing intermediate anchors and designed for a wide range of hand sizes.

• Versions with a swivel provide even more comfort



The SCORPIO VERTIGO SW and SCORPIO EASHOOK SW are equipped with a swivel that keeps the arms from tangling during use.

Discover via ferrata with our combinations



KIT VIA FERRATA VERTIGO



KIT VIA FERRATA EASHOOK


Each kit contains a SCORPIO VERTIGO or SCORPIO EASHOOK lanyard, CORAX harness (size 1 or 2), and BOREO helmet (size M/L). Ready for adventure?




Lanyards for Climbing, Mountaineering, Caving, and Canyoning

Petzl offers many types of lanyards including single, double, asymmetrical, and adjustable.


• Lanyards designed for different uses



The CONNECT ADJUST single lanyard allows the user to tether to the anchor when climbing or mountaineering in order to manage rope or gear, such as setting up a top rope or getting ready to belay.




The DUAL CONNECT ADJUST double lanyard allows the user to tether to the anchor in order to set up a rappel system when multi-pitch climbing.



With two adjustable arms, the EVOLV ADJUST lanyard makes aid climbing progression easier.

• Length can be selected using the **ADJUST** rope adjuster



The DUAL CAVING double lanyard has multiple different uses when caving, such as tethering to an anchor, progressing along a traverse line, passing intermediate anchors, or ascending a rope.



The DUAL CANYON CLUB and DUAL CANYON GUIDE lanyards allow positioning at the anchor and progression along a lifeline when canyoning.



Lanyards equipped with the ADJUST rope adjuster allow for quick and precise length selection of the adjustable arm. This adjustment option allows optimal positioning when at the anchor.

Choosing Your Lanyard

	CONNECT ADJUST	DUAL CONNECT ADJUST	EVOLV ADJUST	DUAL CAVING	DUAL CANYON GUIDE	DUAL CANYON CLUB
				8		
Activity	Climbing and Mountaineering	Multi-Pitch Climbing	Aid Climbing	Caving	Cany	roning
Lanyard Type	Single			Double		
Setup		Girth Hitch		Semi-Circle	Gated Attachment Point	Girth Hitch
Adjustable		•		-	•	-
Length	15 - 95 cm	45 cm / 15 - 95 cm	15 - 150 cm	35 cm / 65 cm	65 cm / 15 - 85 cm	55 cm



SCORPIO® EASHOOK SW

Via ferrata lanyard with EASHOOK carabiners and swivel

The ideal lanyard for taking on breathtaking via ferratas. The SCORPIO EASHOOK SW is a lightweight, compact, and very comfortable lanyard. With an ultra-compact absorber and two elastic arms, you can move through the course with ease. An integrated swivel keeps the arms from tangling, keeping you comfortable as you move through the course. Designed for a wide range of hand sizes, the ergonomic EASHOOK carabiners provide optimal grip for easy handling when passing intermediate anchors. The lanyard is equipped with a short arm that allows you to install a carabiner (not included) so that you can easily rest on a rung on the via ferrata course.






Ultra-compact energy absorber reduces bulk for ease of movement.



Long extension capacity and elastic arms for easier progression and to adapt to different user heights.





- Only 460 g
- Ultra-compact energy absorber reduces bulk for ease of movement
- Long extension capacity and elastic arms for easier progression and to adapt to different user heights
- Short arm can be used to easily rest on a rung (carabiner not included)
- Swivel keeps the arms from tangling during use and allows you to move through the course comfortably
- Ergonomic EASHOOK carabiners provide optimal grip and are easy to handle when passing intermediate anchors

- EASHOOK carabiners have an ergonomic shape that provides optimal grip designed for a wide range of hand sizes
- Automatic double-action locking system is easy to use, even when wearing gloves
- Large-opening carabiner for easily clipping and unclipping from cables
- Keylock system helps prevent the carabiner from snagging during use
- Easy equipment management for monitor and operator:
- Lanyard designed for a wide range of users between 40 and 120 kg
- Specific marking areas for easy identification
- Identification panel on the lanyard to track the equipment throughout its lifespan

Product Specifications

- Lanyard length:
- Retracted: 74 cm
- Extended: 112 cm
- Short arm (without carabiner): 26 cm
- Material(s): high-modulus polyethylene, polyester, aluminum
- Certification(s): CE EN 958, UIAA
- Comes with a storage pouch made from 100 % recycled polyester fabric

Accessory(ies)

SPIRIT M061AA00, M061AB00/2/3/4/5/.6 STRING M M090BA00

Specifications by Reference



SCORPIO® EASHOOK

Via ferrata lanyard with EASHOOK carabiners

Lightweight and compact, the SCORPIO EASHOOK lanyard is designed for regular use on via ferratas. With an ultra-compact absorber and two elastic arms, you can move through the course with ease. Designed for a wide range of hand sizes, the ergonomic EASHOOK carabiners provide optimal grip for easy handling when passing intermediate anchors. The lanyard is equipped with a short arm that allows you to install a carabiner (not included) so that you can easily rest on a rung on the via ferrata course.





Ultra-compact energy absorber reduces bulk for ease of movement.



Long extension capacity and elastic arms for easier progression and to adapt to different user heights.

- Lightweight, compact, and comfortable lanyard:
- Only 450 g
- Ultra-compact energy absorber reduces bulk for ease of movement
- Long extension capacity and elastic arms for easier progression and to adapt to different user heiahts
- Short arm can be used to easily rest on a rung (carabiner not included)
- Ergonomic EASHOOK carabiners provide optimal grip and are easy to handle when passing intermediate anchors
- EASHOOK carabiners have an ergonomic shape that provides optimal grip designed for a wide

range of hand sizes

- Automatic double-action locking system is easy to use, even when wearing gloves
- Large-opening carabiner for easily clipping and unclipping from cables or rungs
- Keylock system helps prevent the carabiner from snagging during use
- · Easy equipment management for monitor and
- Lanyard designed for a wide range of users between 40 and 120 kg
- Specific marking areas for easy identification
- Identification panel on the lanyard to track the equipment throughout its lifespan

Product Specifications

- · Lanyard length: - Retracted: 72 cm
- Extended: 108 cm
- Short arm (without carabiner): 22 cm
- Material(s): high-modulus polyethylene, polyester, aluminum
- Certification(s): CE EN 958, UIAA
- Comes with a storage pouch made from 100 % recycled polyester fabric

Accessory(ies)

SPIRIT M061AA00, M061AB00/2/3/4/5/.6 STRING M M090BA00

Specifications by Reference



SCORPIO® VERTIGO SW

Via ferrata lanyard with VERTIGO carabiners and swivel

Ready to explore scenic via ferratas? Compact and comfortable, opt for the very lightweight SCORPIO VERTIGO SW lanyard. With an ultra-compact absorber and two elastic arms, you can move through the course with ease. An integrated swivel keeps the arms from tangling, keeping you comfortable as you move through the course. Easy to use, the VERTIGO WIRE-LOCK carabiners provide excellent grip and have a large opening so you can quickly clip and unclip from cables. The lanyard is equipped with a short arm that allows you to install a carabiner (not included) so that you can easily rest on a rung on the via ferrata course.






Ultra-compact energy absorber reduces bulk for ease of movement.



Long extension capacity and elastic arms for easier progression and to adapt to different user heights.





- Only 390 g
- Ultra-compact energy absorber reduces bulk for ease of movement
- Long extension capacity and elastic arms for easier progression and to adapt to different user heights
- Short arm can be used to easily rest on a rung (carabiner not included)
- Swivel keeps the arms from tangling during use and allows you to move through the course comfortably
- Ergonomic VERTIGO WIRE-LOCK carabiners provide excellent grip:
- Ergonomic shape of VERTIGO WIRE-LOCK carabiners provide excellent grip

- Automatic double-action locking system is easy to use, even when wearing gloves
- Large-opening carabiner for easily clipping and unclipping from cables
- Keylock system helps prevent the carabiner from spagging during use
- snagging during useEasy equipment management for monitor and
- Lanyard designed for a wide range of users between 40 and 120 kg
- Specific marking areas for easy identification
- Identification panel on the lanyard to track the equipment throughout its lifespan

Product Specifications

- Lanyard length:
- Retracted: 70 cm
- Extended: 110 cm
- Short arm (without carabiner): 26 cm
- Material(s): high-modulus polyethylene, polyester, aluminum
- Certification(s): CE EN 958, UIAA
- Comes with a storage pouch made from 100 % recycled polyester fabric

Accessory(ies)

SPIRIT M061AA00, M061AB00/2/3/4/5/.6 STRING M M090BA00

Specifications by Reference



SCORPIO® VERTIGO

Via ferrata lanyard with VERTIGO carabiners

At only 375 g, the SCORPIO VERTIGO is the lightest in the Petzl range of via ferrata lanyards! With an ultra-compact absorber and two elastic arms, you can move through the course with ease. Easy to use, the VERTIGO WIRE-LOCK carabiners provide excellent grip and have a large opening so you can quickly clip and unclip from cables. The lanyard is equipped with a short arm that allows you to install a carabiner (not included) so that you can easily rest on a rung on the via ferrata course.





Ultra-compact energy absorber reduces bulk for ease of movement.



Long extension capacity and elastic arms for easier progression and to adapt to different user heights.

- Very light and compact lanyard:
- Only 375 g
- Ultra-compact energy absorber reduces bulk for ease of movement
- Long extension capacity and elastic arms for easier progression and to adapt to different user heiahts
- Short arm can be used to easily rest on a rung (carabiner not included)
- Ergonomic VERTIGO WIRE-LOCK carabiners provide excellent grip:
- Ergonomic shape of VERTIGO WIRE-LOCK carabiners provide excellent grip

- Automatic double-action locking system is easy to use, even when wearing gloves
- Large-opening carabiner for easily clipping and unclipping from cables
- Keylock system helps prevent the carabiner from snagging during use
- Easy equipment management for monitor and
- Lanyard designed for a wide range of users between 40 and 120 kg
- Specific marking areas for easy identification
- Identification panel on the lanyard to track the equipment throughout its lifespan

Product Specifications

- · Lanyard length: - Retracted: 68 cm
- Extended: 106 cm
- Short arm (without carabiner): 22 cm
- Material(s): high-modulus polyethylene, polyester, aluminum
- Certification(s): CE EN 958, UIAA
- Comes with a storage pouch made from 100 % recycled polyester fabric

Accessory(ies)

SPIRIT M061AA00, M061AB00/2/3/4/5/.6 STRING M M090BA00

Specifications by Reference



		Reference	Weight	Specifics	Made in	Case	EAN code
						quantity	
Via Ferrata Lanyards		10000000	105	5	7.4	1.0	00405400400
SCORPIO® EASHOOK SW Via ferrata lanyard with EASHOOK carabiners and swivel		L060CB00	465 g	- Retracted length: 74 cm - Extended length: 112 cm - Short arm length (without carabiner): 26 cm	TW	10	3342540848672
SCORPIO® EASHOOK Via ferrata lanyard with EASHOOK carabiners		L060BB00	445 g	- Retracted length: 72 cm - Extended length: 108 cm - Short arm length (without carabiner): 22 cm	TW	10	3342540848665
SCORPIO® VERTIGO SW Via ferrata lanyard with VERTIGO carabiners and swivel		L060DB00	395 g	- Retracted length: 70 cm - Extended length: 110 cm - Short arm length (without carabiner): 26 cm	CN	10	3342540848863
SCORPIO® VERTIGO Via ferrata lanyard with VERTIGO carabiners		L060AB00	375 g	- Retracted length: 68 cm - Extended length: 106 cm - Short arm length (without carabiner): 22 cm	CN	10	3342540848856
Climbing and Mountaineering Lanyar	ds						
CONNECT ADJUST Adjustable single lanyard for climbing and mountaineering		L034BA00	105 g	- Length: 15 - 95 cm	FR	34	3342540844605
DUAL CONNECT ADJUST Adjustable double lanyard for multi-pitch climbing		L035CA00	150 g	- Fixed arm length: 45 cm - Adjustable arm length: 15 to 95 cm	FR	20	3342540845220
EVOLV ADJUST Double lanyard with two adjustable arms for aid climbing		L035DA00	300 g	- Length: 15 - 150 cm	FR	16	3342540844612
Caving Lanyards	0						
DUAL CAVING Double lanyard for caving	8	L002AB00	85 g	- Short arm length: 35 cm - Long arm length: 65 cm	DE	36	3342540845138
Canyoning Lanyards							
DUAL CANYON GUIDE Adjustable double lanyard for canyoning		L086BC00	155 g	- Fixed arm length: 65 cm - Adjustable arm length: 15 to 85 cm	FR	20	3342540845121
DUAL CANYON CLUB Double lanyard for canyoning		L086AC00	95 g	- Fixed arm length: 55 cm	DE	36	3342540845114





	Reference	Weight	Specifics	Made in	Case quantity	EAN code
Climbing Kits						l
KIT CORAX GRIGRI Sm'D	K032AB00	700 g	- Harness: size 1 / 65 - 96 cm	MY	6	3342540845640
Climbing kit containing CORAX harness, GRIGRI assisted blocking belay device, and Sm'D carabiner	K032AB01	750 g	- Harness: size 2 / 76 - 107 cm			3342540845657
Via Ferrata Kits						
KIT VIA FERRATA EASHOOK	K029DD00	1245 g	- Harness: size 1 / 65 - 96 cm - Helmet: size M/L / 53 - 61 cm	TW	4	3342540848641
Via ferrata kit including a SCORPIO EASHOOK lanyard, CORAX harness, and BOREO helmet	K029DD01	1295 g	- Harness: size 2 / 76 - 107 cm - Helmet: size M/L / 53 - 61 cm			3342540848658
KIT VIA FERRATA VERTIGO	EW K029CD00	1175 g	- Harness: size 1 / 65 - 96 cm - Helmet: size M/L / 53 - 61 cm	CN	4	3342540848627
Via ferrata kit including a SCORPIO VERTIGO lanyard, CORAX harness, and BOREO helmet	K029CD01	1225 g	- Harness: size 2 / 76 - 107 cm - Helmet: size M/L / 53 - 61 cm			3342540848634
Rescue Kits			<u> </u>			
RAD SYSTEM A complete ultra-lightweight and compact kit with specific cord, designed for skiers doing crevasse rescue, rappelling, or roping up on a glacier to get out of a crevasse zone	K011AB00	970 g	- Cord length: 30 m	CZ	3	3342540846173
CREVASSE RESCUE KIT Kit for hauling and self-rescue from crevasses	K025AA00	370 g	- Rope diameter: 8 to 11 mm	FR	4	3342540829374





		Reference	Length	Weight	Made in	Case quantity	EAN code
Ice Anchors		J.	<u> </u>			ļ.	I
LASER SPEED LIGHT	01.	G052AA00	13 cm	91 g	FR	12	3342540832701
Ultra-lightweight ice screw	Tipo'	G052AA01	17 cm	100 g			3342540832718
with integrated crank		G052AA02	21 cm	110 g			3342540832725
LASER SPEED	03.	G051AA00	13 cm	128 g	FR	12	3342540832664
Ultra-high-performance ice screw	Tipo	G051AA01	17 cm	143 g			3342540832671
with integrated crank		G051AA02	21 cm	161 g			3342540832688
LASER SPEED 10 cm Ultra-high-performance progression	P	G051AA03	10 cm	113 g	FR	12	3342540832695
ice screw with integrated crank	II.	Not available in France					
ASER	1-00	G050AA00	13 cm	120 g	FR	12	3342540832633
Lightweight, high-performance ice	IT	G050AA01	17 cm	135 g			3342540832640
screw		G050AA02	21 cm	153 g			3342540832657
Ice Protection Accessories		,	\		'		
MULTIHOOK Multi-function, foldable threading tool		U002AA00	28 cm	40 g	FR	20	3342540828650
OCTO Protective carrying pouch for ice screws		U010AA00	-	160 g	CN	50	3342540828643
LASER PROTECTION Protection cap for Petzl ice screws (pack of 5)	4	U024AA00	-	5 g	IT	20	3342540844094

		Reference	Diameter	Drilling Depth	Weight	Made in	Case quantity	EAN code
Rock Anchors				,				
COEUR BOLT STEEL	Ţ,	P36BA 10	10 mm	8,5 cm	110 g	FR	1	3342540104198
Steel anchor for interior use (pack of 20)	x 20	P36BA 12	12 mm	10,5 cm	135 g			3342540104136
COEUR STEEL	-To	P36AA 10	10 mm	-	65 g	FR	4	3342540104174
Steel hanger for interior uses (pack of 20)	x 20	P36AA 12	12 mm		60 g			3342540104150
COELID BOLT STAINLESS		P36BS 10	10 mm	7 cm	110 g	DE	1	3342540104181
tainless steel anchor for typical xterior use (pack of 20)	x 20	P36BS 12	12 mm	8,5 cm	135 g			3342540104129
COEUR STAINLESS	-la	P36AS 10	10 mm	-	65 g	FR	4	3342540104167
Stainless steel hanger for typical exterior use (pack of 20)	x 20	P36AS 12	12 mm		60 g			3342540104143
COEUR BOLT HCR High Corrosion Resistance stainless steel anchor for corrosive environments (pack of 20)	x 20	P36BH 12	12 mm	8,5 cm	135 g	DE	1	3342540104105
COEUR HCR High Corrosion Resistance stainless steel hanger for corrosive environments (pack of 20)	x 20	P36AH 12	12 mm	-	60 g	FR	4	3342540104112

		Reference	Diameter	Drilling Depth	Weight	Made in	Case quantity	EAN code
COEUR PULSE 12 mm Removable 12 mm anchor with locking function	2	G037BA00	12 mm	6,5 cm	140 g	FR	8	3342540842243
PULSE 8 mm Temporary 8 mm anchor for caving		G037AA00	8 mm	5 cm	60 g	FR	20	3342540842236
BAT'INOX 14 mm resin anchor (pack of 10)	Ox10	G102AA00	14 mm	10 cm	250 g	FR	2	3342540829824
AMPOULE BAT'INOX Resin glue for BAT'INOX (pack of 10)	x 10	G103AA00	-	-	20 g	NL	9	3342540829862
COLLINOX 10 mm resin anchor (pack of 10)	x 10	G100AA00	10 mm	7 cm	95 g	FR	2	3342540829817
AMPOULE COLLINOX Resin glue for COLLINOX (pack of 10)	x 10	G101AA00	-	-	14 g	NL	14	3342540829855

		Reference	Length	Weight	Made in	Case quantity	EAN code
Pitons).			,		
V CONIQUE	Ь	66007	7 cm	-	FR	10	3342540660076
Chromoly steel knifeblade piton	ľ	66011	11 cm	95 g			3342540660113
UNIVERSEL	0	P17 5	5 cm	-	FR	10	3342540089716
Semi-hardened steel forged piton	Y	P17 7	7 cm	95 g			3342540089723
		P179	9 cm	-			3342540089730
ROCHER MIXTE	Ф	65106	6 cm	-	FR	10	3342540651067
Semi-hardened steel forged piton		65108	8 cm	90 g			3342540651081
		65110	10 cm	-			3342540651104
U	(b)	65312	10 cm	125 g	FR	10	3342540653122
Semi-hardened steel forged piton		65314	12 cm	-			3342540653146
LIVANOS	lb.	65504	4 cm	-	FR	10	3342540655041
Chromoly steel knifeblade piton	٢	65506	6 cm	-			3342540655065
		65508	8 cm	48 g			3342540655089
		65510	10 cm	-			3342540655102
Rock and Caving Anchors							
VRILLEE Caving bolt hanger (pack of 25)	o x 25	G104AA00	-	32 g	FR	2	3342540829831
COUDEE Caving bolt hanger (pack of 25)	x 25	G105AA00	-	32 g	FR	2	3342540829848

		Reference	Unit Weight	Major Axis Strength	Minor Axis Strength	Made in	Case quantity	EAN code
Quick Links					I.			
DELTA Triangular quick link	\bigcirc	P11	150 g	45 kN	10 kN	FR	30	3342540008649
SPEEDY Quick link with rapid gate (pack of 5)	() x 5	G106AA00	23 g	15 kN	-	FR	20	3342540829879
GO 8 mm	x10) P015AA00	95 g	30 kN	10 kN	FR	8	3342540833012
8 mm wide-opening, galvanized steel quick link	U x1	P015AA01					50	3342540834996
DEMI ROND Semi-circular quick link		P18	55 g	25 kN	10 kN	FR	30	3342540008823
		Reference	Weight	Spec	cifics	Made in	Case quantity	EAN code
Rock and Caving Anchor Accessorie	es					ı	ı	
BONGO Piton hammer		P27	680 g	Length:	33 cm	FR	10	3342540070486
TAM TAM Caving hammer	1	P16	535 g	Length:	26.5 cm	FR	10	3342540008755
ROCPEC SDS-bit hand drill	Q.	P26	198 g	-		FR	10	3342540038462
ROCPEC ADP Adapter for ROCPEC drill	İ	P26250	37 g	-		FR	50	3342540057357
PERFO SPE Drill for self-drilling anchors		P08	208 g	Diamete	r: 8 mm	FR	10	3342540008526
BOLTBAG Bolting gear pouch	+	C11 A	170 g	-		CN	15	3342540087309
PROTEC Flexible rope protection	Î	R003AA00	130 g	Dimensions: 5	6 x 5 x 2.5 cm	KH	58	3342540839717
SWIVEL S Ball bearing swivel	8	P58 S	95 g	Breaking stre Working k		IT	12	3342540070868
PAW S Rigging plate		G063AA00	60 g	Breaking stre	ength: 36 kN	ΙΤ	10	3342540835870
		Reference	Length	Color	Weight	Made in	Case quantity	EAN code
Sewn Slings								
ANNEAU	_ afi	C40A 60	60 cm	Yellow	60 g	MY	50	3342540103436
Polyester sling		C40A 80	80 cm	Blue	80 g			3342540105140
	i i	C40A 120	120 cm	Green	100 g		25	3342540103429
		C40A 150	150 cm	Red	135 g			3342540105133
ST'ANNEAU		C07 24	24 cm	Green	10 g	FR	50	3342540071773
Lightweight sewn sling		C07 60	60 cm	Yellow	20 g			3342540071780
		C07 120	120 cm	Red	40 g		25	3342540071797
PUR'ANNEAU	A	G006AA00	60 cm	Yellow	18 g	FR	50	3342540817555
Ultra-light sewn sling		G006AA01	120 cm	Red	32 g		25	3342540817562
,		G006AA02	180 cm	Violet	48 g		15	3342540817579



	Reference	Unfolded Dimen- sions	Folded Dimensions	Weight	Made in	Case quantity	EAN code
Crashpads							•
ALTO Crashpad for bouldering	K02AO	118 x 100 x 10 cm	65 x 100 x 25 cm	5700 g	FR	1	3342540099746
CIRRO Large crashpad for bouldering	K01AO	148 x 118 x 12,5 cm	75 x 118 x 35 cm	9400 g	FR	1	3342540098473
NIMBO Supplementary pad for bouldering	K03AO	75 x 50 x 3 cm	-	700 g	VN	4	3342540099739







		Reference	Color	Weight	Made in	Case quantity	EAN code
Chalk Bags						l.	
SAKAPOCHE		S040AB00	Black	85 g	CN	30	3342540844308
Ergonomic chalk bag		S040AB01	Orange/White				3342540844711
with pocket		S040AB02	Black dazzle				3342540844728
SAKA	add.	S039BB00	Dark gray	80 g	CN	30	3342540844681
Ergonomic chalk bag		S039BB01	Rose	_			3342540844698
J	* *	S039BB02	Chalk Stripes				3342540844704
		S039BB03	Orange/White				3342540844759
		S039BB04	White dazzle				3342540844766
BANDI		S038BB00	Bright blue	75 g	CN	30	3342540844636
Round chalk bag		S038BB01	Jade green				3342540844643
		S038BB02	Chalk stripes				3342540844650
		S038BB03	Orange				3342540844667
		S038BB04	Sailor stripes				3342540844674
SAKAB Freestanding chalk bucket for bouldering		S037AA00	Gray	205 g	VN	50	3342540832824
SAKOVER Ultra-lightweight sealed bag for storage and transport of chalk bags		S036AA00	Gray	40 g	VN	300	3342540832831
Chalk							
POWER CRUNCH		S034AA00	-	200 g	FR	40	3342540844926
Chunky chalk	MANAGE TRACE	S034AA01		300 g		24	3342540845213
		S034AA02		NEW 500 g		20	3342540848795
POWER LIQUID Liquid chalk	PATE.	S035AA00	-	200 ml	FR	30	3342540844933

		Reference	Color	Weight	Volume	Made in	Case quantity	EAN code
Climbing Packs						*		
BUG		S073AA00	Gray	525 g	18 liters	VN	15	3342540825994
Pack for single-day multi-pitch climbing		S073AA01	Red					3342540826007
SPLIT	4	S013AA00	Gray	600 g	8 to 25 liters	VN	8	3342540841185
Rope bag	E E	S013AA01	Red/Orange					3342540841192



	Reference	Color	Weight	Volume	Made in	Case quantity	EAN code
KLIFF	S010AA00	Gray	750 g	36 liters	VN	10	3342540825796
Rope bag for rock climbing	S010AA01	Red					3342540825802
TARP Large rope tarp	S012AA00	Black	280 g	-	VN	32	3342540835153
Canyoning Packs							
ALCANADRE CLUB 30 Easy-to-use canyoning pack	\$064AA00	Green	885 g	30 liters	KH	16	3342540834873
ALCANADRE GUIDE 45 Ergonomic and comfortable canyoning pack	S064BA00	Orange	1745 g	45 liters	KH	8	3342540834880
YARA CLUB 15 Small-capacity rope bag for canyoning	\$065AB00	Green	420 g	15 liters	KH	22	3342540840447
YARA GUIDE 25 Medium-capacity rope bag for canyoning	\$065BB00	Orange	610 g	25 liters	KH	16	3342540840454
Caving Packs							
PERSONNEL 15 Durable small-capacity pack for caving	S44Y 015	Yellow/Black	580 g	15 liters	CN	15	3342540090378
CLASSIQUE 22 Durable medium-capacity pack for caving	C03 2	Yellow/Black	660 g	22 liters	CN	10	3342540087101
Transport Bags							
TRANSPORT 30	S042AA00	Yellow/Black	1300 g	30 liters	KH	5	3342540844803
Durable pack	S042AA01	Black					3342540844797
TRANSPORT 45	S042BA00	Yellow/Black	1530 g	45 liters	KH	5	3342540844889
Durable pack	S042BA01	Black					3342540844896
TRANSPORT 60	\$042CA00	Yellow/Black	1780 g	60 liters	KH	5	3342540844902
Durable pack	S042CA01	Black					3342540844919
DUFFEL 65 Medium-capacity transport bag	S045AA02	Black	1350 g	65 liters	KH	6	3342540839342
DUFFEL 85 Large-capacity transport bag	S045AA03	Black	1550 g	85 liters	KH	5	3342540839359



	Reference	Weight	Working load limit	Made in	Case quantity	EAN code
Rescue Litters	,		,			
NEST Litter for confined spaces	S061AA00	13100 g	150 kg	FR	1	3342540829558
STEF Tilting device for NEST litter	S059AA00	640 g	140 kg	FR	5	3342540829749
STEF for NEST Litter (before 2020) Tilting device for NEST litter before 2020	S059BA00	620 g	140 kg	FR	5	3342540832244
Bag for NEST Litter	S062AA00	1860 g	-	RO	2	3342540831568

		Reference	Size	Color	Weight	Made in	Case quantity	EAN code
Gloves		· ·			,			
CORDEX	100	K52 SN	S	Black	105 g	TN	30	3342540080461
Lightweight belay/rappel gloves		K52 MN	М		115 g			3342540080478
		K52 LN	L		118 g			3342540080485
	(BTD)	K52 XLN	XL		120 g			3342540080492
		K52 XST	XS	Light brown	100 g			3342540076020
	200	K52 ST	S		105 g	_		3342540072688
		K52 MT	М		115 g			3342540072695
		K52 LT	L		118 g			3342540072701
		K52 XLT	XL		120 g			3342540072718
CORDEX PLUS	elle.	K53 SN	S	Black	136 g	TN	30	3342540080508
Belay/rappel gloves		K53 MN	М		140 g			3342540080515
		K53 LN	L		146 g			3342540080522
	PEL	K53 XLN	XL		152 g			3342540080539
		K53 XST	XS	Light brown	132 g			3342540076037
		K53 ST	S		136 g			3342540072725
		K53 MT	М		140 g			3342540072732
		K53 LT	L		146 g			3342540072749
		K53 XLT	XL		152 g			3342540072756

CORDEX / CORDEX PLUS: WARNING for California Residents

WARNING
These products can expose you to chemicals including hexavalent chromium, which is known to the State of California to cause cancer, birth defects or other reproductive harm.

For more information, go to www.P65Warnings.ca.gov

		Reference	Weight	Specifics	Made in	Case quantity	EAN code
Aid Climbing Accessories							
SHUNT Rappel backup device		B03B	188 g	Rope compatibility: 10-11 mm single ropes or half ropes 8-11 mm	FR	14	334254081794
FIFI Suspension hook for aid climbing	2	V12	38 g	-	FR	50	3342540067878
MAILLON RAPIDE N° 5 Quick link for installing a retrieval system on the FIFI hook		P49100	-	-	FR	100	334254004408
GOUTTE D'EAU Large radius progression hook	6	P06 2	46 g	-	FR	30	3342540092000
REGLETTE Small radius progression hook	6	P06 1	38 g	-	FR	30	3342540091993
QUICKSTEP Adjustable single-step etrier for aid climbing		C09	142 g	-	FR	15	3342540054592
LOOPING Four-step etrier for aid climbing	4	C25	145 g	Black/Yellow	FR	10	3342540001299
GRADISTEP Lightweight five-step etrier for aided sections on free climbs		C08	146 g	Black/Gray	FR	15	334254005458
Other Accessories	N						
CARNET		S90	150 g	15 x 10.5 cm (A6 format)	FR	96	334254003054
CARNET Topographic notebook for caving		S91	210 g	21 x 15 cm (A5 format)	=	60	3342540030558
SPATHA Clippable knife	0	S92AY S92AB	43 g	Yellow Blue	FR	20	3342540097384 3342540097377



		Reference	Size	Version	Made in	Case quantity	EAN code
Petzl Branded Products				,		,	
CEINTURE		C010AA00	-	Blue	CN	40	3342540822986
Belt with logo and one DOUBLEBACK LIGHT buckle		C010AA01	-	Violet			3342540822993
Petzl Book		Z180 FR	-	French Version	FR	13	3342540096431
From the Deep: the Petzl		Z180 ES	-	Spanish Version			3342540100299
Adventure, the story of a company and its community. Authors: Sophie Cuenot and Hervé Bodeau Preface by Lynn Hill 272 pages		Z18001 EN	-	English version in gift box The book "From the Deep: the Petzl Adventure" is available for download in French and English on the Petzl website.		10	3342540096448
ADAM		T001AA00	S	Black	TR	50	3342540838185
Men's Petzl cotton T-shirt	PETZL	T001AA01	М				3342540838192
		T001AA02	L				3342540838208
		T001AA03	XL				3342540838314
		T001AA04	XXL				3342540838321
		T001AA05	S	Blue			3342540838338
	PETZL	T001AA06	М				3342540838345
		T001AA07	L				3342540838352
		T001AA08	XL				3342540838369
		T001AA09	XXL				3342540838376
EVE		T002AA00	XS	Violet	TR	50	3342540838239
/omen's Petzl cotton T-shirt	MR.	T002AA01	S				3342540838246
		T002AA02	М				3342540838253
		T002AA03	L				3342540838260















Whether it's for caving, running, skiing, hiking, or everyday activities, Petzl makes headlamps to meet your every need.

Introducing our range of headlamps in three different families: PERFORMANCE, ADVANCED, and DISCOVER.

PERFORMANCE Headlamps

• For caving



DUO RL



DUO S



• For high-commitment endurance sports like trail running, mountaineering, and ski touring



NAO® RL



SWIFT® RL







ADVANCED Headlamps

• For regular use and dynamic activities








ACTIK® CORE



ACTIK®




ARIA 2 RGB















1





DISCOVER Headlamps

• For occasional use, or for your first headlamp



ARIA 1 RGB



TIKKA® CORE



TIKKA®



TIKKINA®




BINDI®



TIKKID







• For emergency situations





Uses for PERFORMANCE, ADVANCED, and DISCOVER Headlamps















Camping



Hunting and fishing

Caving

Ski Touring

Mountaineering

Trail Running and Endurance

PERFORMANCE Headlamps

DUO RL		***					
DUO S	100	***					
NAO® RL			*	*	***		
SWIFT® RL	New York		***	***	*	*	

ADVANCED Headlamps

IKO® CORE				***	*	*	
IKO®				***	*	*	
ACTIK® CORE	Pizz.		***	*	***		
ACTIK®	ALT.		*	*	***		
ARIA 2 RGB	ME .				*	*	***

DISCOVER Headlamps

ARIA 1 RGB	F PRES. (1)			*	*	***
TIKKA® CORE	ALL S		*	***	***	
TIKKA®	Page 1		*	***	***	
TIKKINA®	MIZ.			*	***	
BINDI®	160		*	*	***	
TIKKID®	PETAL O				***	
e+LITE®						











From the simplest of tasks to the most demanding sports, Petzl headlamps meet your needs and let you choose from a wide range of brightness levels.







Summary

PERFORMANCE Headlamps				ı			ANSI/PLATO FL 1]	ı	ı		
PERFORMANCE Headlamps DUO RI. 2800 lm 255 m - 771 ft 72 h DUO S			STANDARD	CONSTANT	REACTIVE	MAX	MAX	MAX			MIXED	FOCUSED	
DUO S	PERFORMANCE	Headlamps	23			D. IIII III III III III III III III III	Signator	33.114.11112					
NAO® Ril NAO® Ril Name	DUO RL		•		•	2800 lm	255 m - 771 ft	72 h	•	•	•	•	
SWIFT® RL • 1100 lm 155 m - 505 ft 100 h • • ADVANCED Headlamps IKO® CORE • 500 lm 100 m - 328 ft 100 h • • • ACTIK® CORE • 600 lm 115 m - 377 ft 100 h • • • ACTIK® • 450 lm 100 m - 328 ft 100 h • • • AFIA 2 FGB • 450 lm 100 m - 328 ft 100 h • • • DISCOVER Headlamps ARA 1 FGB • 350 lm 70 m - 230 ft 110 h • • TIKKA® • 350 lm 70 m - 230 ft 110 h • • TIKKINA® • 300 lm 85 m - 213 ft 100 h • • BINDI® • 20 lm 7 m - 23 ft 110 h • • TIKKID® • 20 lm 7 m - 23 ft 110 h • •	DUO S			•		1100 lm	200 m - 656 ft	23 h	•	•	•	•	
ADVANCED Headlamps IKO® CORE Soo Im 100 m - 328 ft 100 h	NAO® RL		•		•	1500 lm	200 m - 656 ft	80 h	•	•	•		
KO* CORE S00 lm 100 m - 328 ft 100 h Mode Mode	SWIFT® RL		•		•	1100 lm	155 m - 505 ft	100 h	•		•		
Solim 80 m - 262 ft 100 h • • • • •	ADVANCED Head	llamps											•
ACTIK® CORE	IKO® CORE		•			500 lm	100 m - 328 ft	100 h	•	•	•		
ACTIK®	IKO®		•			350 lm	80 m - 262 ft	100 h	•	•	•		
ARIA 2 RGB	ACTIK® CORE	Prog.	•			600 lm	115 m - 377 ft	100 h	•	•	•		
DISCOVER Headlamps ARIA 1 RGB • 350 lm 70 m - 230 ft 110 h • • TIKKA® CORE • 450 lm 75 m - 246 ft 110 h • • TIKKA® • 350 lm 70 m - 230 ft 110 h • • TIKKINA® • 300 lm 65 m - 213 ft 100 h • • BINDI® • 200 lm 36 m - 118 ft 50 h • • TIKKID® • 20 lm 7 m - 23 ft 110 h •	ACTIK®	Print	•			450 lm	100 m - 328 ft	100 h	•	•	•		
ARIA 1 RGB • 350 lm 70 m - 230 ft 110 h • 11KKA® CORE • 450 lm 75 m - 246 ft 110 h • 1KKA® • 350 lm 70 m - 230 ft 110 h • 1KKINA® • 300 lm 65 m - 213 ft 100 h • 1KKINA® • 200 lm 36 m - 118 ft 50 h • 200 lm 7 m - 23 ft 110 h	ARIA 2 RGB	Pag.	•			450 lm	100 m - 328 ft	100 h	•	•	•		
TIKKA® CORE	DISCOVER Head	lamps											•
TIKKA® • 350 lm 70 m - 230 ft 110 h • 300 lm 65 m - 213 ft 100 h • 200 lm 36 m - 118 ft 50 h • 200 lm 7 m - 23 ft 110 h	ARIA 1 RGB	m B	•			350 lm	70 m - 230 ft	110 h	•	•			
TIKKINA® • 300 lm 65 m - 213 ft 100 h • 200 lm 36 m - 118 ft 50 h • 20 lm 7 m - 23 ft 110 h	TIKKA® CORE		•			450 lm	75 m - 246 ft	110 h	•	•			
BINDI® • 200 lm 36 m - 118 ft 50 h • 11KKID® • 20 lm 7 m - 23 ft 110 h	TIKKA®	PER	•			350 lm	70 m - 230 ft	110 h	•	•			
TIKKID® • 20 lm 7 m - 23 ft 110 h	TIKKINA®	PEZ.	•			300 lm	65 m - 213 ft	100 h	•	•			
	BINDI®	To lot	•			200 lm	36 m - 118 ft	50 h	•	•			
e+LITE® ◆ 40 lm 15 m - 49 ft 9 h 30	TIKKID®	Pera.	•			20 lm	7 m - 23 ft	110 h		•			
	e+LITE®		•			40 lm	15 m - 49 ft	9 h 30		•			



























				•		•	• WALL	IP67	390 g - 13.7 oz
					•	•	• WALL	IP67	370 g - 13.1 oz
		•	•			•	● USB-C	IPX4	145 g - 5 oz
•	● Red		•			•	● USB-C	IPX4	100 g - 3.5 oz

		•	•		•		● Micro USB		IPX4	79 g - 2.8 oz
		•	•		•			3 x AAA LR03	IPX4	90 g - 3.2 oz
•	• Red	•	•		•	•	● Micro USB		IPX4	88 g - 3.1 oz
•	• Red		•		•	•		3 x AAA LR03	IPX4	98 g - 3.45 oz
Red green blue	Red green blue		•		•			3 x AAA LR03	IP67	106 g - 3.7 oz

Red green blue	Red green blue		•		•			3 x AAA LR03	IP67	105 g - 3.7 oz
•	• Red	•	•		•	•	● Micro USB		IPX4	84 g - 2.96 oz
•	• Red		•		•	•		3 x AAA LR03	IPX4	94 g - 3.3 oz
			•					3 x AAA LR03	IPX4	92 g - 3.2 oz
•	• Red	•			•		● Micro USB		IPX4	35 g - 1.2 oz
	• White		•			•		3 x AAA LR03	IPX4	80 g - 2.8 oz
•	• White & red				•			2 x lithium CR2032	IPX7	26 g - 1 oz































Lighting performance as defined by the ANSI/PLATO FL 1 protocol

Petzl has chosen to comply with the ANSI (American National Standards Institute) protocol to measure and demonstrate the lighting performance and burn times of our headlamps. This voluntary move allows users to easily compare the lighting performance and water resistance of different headlamp models using standardized criteria.

Lighting Performance: How Is It Measured?



• Brightness (lumens)

This measurement is taken between 30 and 120 seconds after the headlamp is turned on. It indicates the maximum light output, when the lamp is first turned on, using new batteries.



• Lighting distance (meters)

This is the maximum distance between the lamp and the location where only 0.25 lux of illumination remains. The measurement is taken when the lamp is turned on, using new batteries. Lighting distance depends directly on brightness, but mainly on the shape of the beam.




• Burn time (hours)

This corresponds to the length of time during which lighting is optimal. It is measured 30 seconds after the lamp is turned on and for as long as the lamp takes to drop to 10 % of maximum light output.



Reserve lighting (outside scope of ANSI/PLATO FL 1 protocol)

In addition to these measures, Petzl offers reserve lighting. Reserve lighting provides minimum light level for walking. However, the light may not be sufficient for fast-paced activities (such as running, mountain biking, or skiing).



Example of a light output curve for a STANDARD LIGHTING headlamp.

Watertightness: What do the IP ratings on Petzl headlamps mean?

A headlamp's resistance to solids and/or liquids is indicated by its IP rating. This index classifies the level of protection offered by equipment against intrusions by solids (e.g. dust) and liquids (e.g. water, oil).



Rating complies with the majority of headlamp uses, in rain, snow, or humidity. All Petzl headlamps are at least IPX4 rated (weather resistant).



Rating indicates the headlamp is waterproof in up to 1 meter of fresh water for 30 minutes. The e+LITE headlamp is IPX7 rated.




Rating indicates the headlamp is dustproof and waterproof in up to 1 meter of fresh water for 30 minutes. DUO RL, DUO S, ARIA 2 RGB and ARIA 1 RGB headlamps are rated IP67.




Optimizing Headlamp Performance With Different Lighting Levels

Petzl headlamps are designed to meet your needs for burn time and/or brightness. The choice is easy, with three brightness levels that correspond to the type of activity (except DUO headlamps):

- For a shorter activity requiring brightness, choose the MAX POWER level, which maximizes lumens over the first few hours
- For a longer activity requiring good burn time management, choose the STANDARD level, which offers a lumen/time balance
- For an activity requiring little movement (reading, camping), choose MAX BURN TIME, which optimizes battery life and provides moderate lighting for a longer time



Example of table that provides performance information on headlamp packaging:


































Petzl Technologies — A Step Ahead

Hybrid Headlamps: Choose the Power Source That Meets Your Needs






The HYBRID CONCEPT design allows Petzl's compact headlamps to run on either the CORE rechargeable battery or three AAA/LR03 batteries without an adapter.

- CORE rechargeable battery is an economical solution for frequent and/or intensive use
- AAA/LR03 batteries for occasional use with very long burn time

Available on IKO® CORE, IKO®, ACTIK® CORE, ACTIK®, ARIA 2 RGB, ARIA 1 RGB, TIKKA® CORE, TIKKA®, TIKKINA® and TIKKID® headlamps.

Beyond Power... Intelligence








This exclusive technology developed by Petzl instantly provides the right lighting at the right time, without any need for manual operation. Burn time is optimized so you can remain focused on the activity. REACTIVE LIGHTING® technology provides:

- Intelligent lighting
- Hands-free lighting for greater convenience and performance
- Longer burn time

Available on DUO RL, NAO® RL, and SWIFT® RL headlamps.

Face-to-Face Without Blinding







Once activated, the FACE2FACE function triggers a sensor that detects other DUO headlamps within 8 meters and automatically dims the lighting whenever they face each other. The light returns to its original intensity once the other headlamp is no longer in its line of sight.

Available on DUO S headlamps.

Ergonomic and Comfortable AIRFIT® Headband





This water-repellent headband resists sweat and rain. The thin headband considerably reduces the area of contact and improves air circulation during dynamic activities.

Available on IKO® CORE and IKO® headlamps.





Brightness is the total quantity of light emitted by a lamp. It is expressed in lumens. The greater the quantity of light, the better you see. The value indicated is that of the most powerful lighting level.



Red and/or white strobe lighting allows you to signal and be more easily located, for example in an emergency.





Lighting distance is linked to brightness and beam shape. It is expressed in meters and indicates the range of usable lighting. The value indicated is the maximum value.



Rear red lighting on the rechargeable battery to signal your presence.





Burn time expresses the length of time a headlamp functions with power sufficient for carrying out an activity. It is expressed in hours. The value indicated is the maximum value.



Reflective components for night visibility.





Reserve lighting provides minimum light level for walking. However, the light may not be sufficient for fast-paced activities (such as running, mountain biking, or skiing).



LOCK function to avoid accidentally turning it on during transit or storage.





Wide beam designed for proximity lighting, to see up close or around your feet. The wide angle provides a very large and comfortable field of view.



GEABLE

Petzl headlamps that work with rechargeable batteries.





Mixed beam consists of a wide beam and a focused component, allowing both proximity lighting and longer-range vision for moving around.



Petzl headlamps that work with regular batteries (included).





Focused beam allows focused lighting on a target in order to see objects or people at a distance.



The IP rating on a headlamp indicates the degree to which it is waterproof and dustproof.





Red lighting for more comfortable night vision. This lighting allows good vision without blinding the user or members of a group.



The weight indicated is that of the headlamp with its energy source (regular or rechargeable batteries).





Red, green, and blue lighting allows the user to better see contrasts within the lit object in certain situations (useful when reading a map, hunting, or fishing). LIGHTING



The energy stored by the reflector surrounding an LED is released in the form of a phosphorescent glow. This glow allows a headlamp that is turned off to be found, even in the dark.







	Reference	Version	Weight	MAX BRIGHTNESS	MAX DISTANCE	MAX BURN TIME	Made in	Case quantity	EAN code	7
DUO RL Ultra-powerful, waterproof, and rechargeable headlamp featuring REACTIVE LIGHTING® technology. 2800 lumens	E103AA00	Black/ Yellow	390 g	2800 lm	255 m	72 h	FR	10	3342540828926	
DUO S Ultra-powerful, waterproof and rechargeable headlamp, featuring Petzl's	E80CHR	Black/ Yellow	370 g	1100 lm	200 m	23 h	MY	6	3342540105843	C
FACE2FACE anti-glare function. 1100 lumens	E80CHR UK								3342540820814	
NAO® RL Ergonomic, ultra-powerful, and rechargeable headlamp featuring REACTIVE LIGHTING® technology. 1500 lumens	E105AA00	Black	145 g	1500 lm	200 m	80 h	HU	22	3342540838215	
SWIFT® RL	E095BB00	Black	100 g	1100 lm	155 m	100 h	HU	48	3342540840966	ΚI
Compact, ultra-powerful and rechargeable headlamp featuring REACTIVE LIGHTING® technology. 1100 lumens	E095BB01	Orange							3342540840973	
	E095BB02	White							3342540840980	





		Reference	Version	Weight	MAX BRIGHTNESS	MAX DISTANCE	MAX BURN TIME	Made in	Case quantity	EAN code
IKO® CORE Lightweight, ergonomic rechargeable headlamp with AIRFIT headband. 500 lumens		E104BA00	Black	79 g	500 lm	100 m	100 h	HU	20	3342540828704
IKO® Lightweight, ergonomic headlamp with AIRFIT headband. 350 lumens		E104AA00	Black	90 g	350 lm	80 m	100 h	HU	20	3342540828674
ACTIK® CORE Powerful, rechargeable, and easy-to-use headlamp with red lighting. 600 lumens	REAL PROPERTY.	E065AA00	Gray Blue	88 g	600 lm	115 m	100 h	FR	64	3342540838703 3342540838819
		E065AA02	Green							3342540838826
	Fine Fine	E065AA03	Red							3342540838932
ACTIK® Powerful, easy-to-use headlamp with red lighting.	POTA	E063AA00	Gray	98 g	450 lm	100 m	100 h	FR	64	3342540838673
450 lumens	POTE	E063AA01	Blue							3342540838680
	m Pg	E063AA02	Green							3342540838697
	PEZZ	EU03AAU3	Red							3342540838925
ARIA 2 RGB Waterproof, robust, and powerful headlamp with white, red, green, and blue	722	E070BA00	Black	106 g	450 lm	100 m	100 h	MY	46	3342540840195
white, red, green, and blue lighting, ideal for exploring nature at night. 450 lumens	pm.	E070BA01	Camo							3342540840058





		Reference	Version	Weight	MAX BRIGHTNESS	MAX DISTANCE	MAX BURN TIME	Made in	Case quantity	EAN code
ARIA 1 RGB Waterproof and robust	Jun. San	E069BA00	Black	105 g	350 lm	70 m	110 h	MY	46	3342540840164
headlamp with white, red, green, and blue lighting, ideal for exploring nature at night. 350 lumens	Page 1	E069BA01	Camo							3342540840171
TIKKA® CORE Rechargeable, compact,	HTZ.	E067AA00	Gray	84 g	450 lm	75 m	110 h	MY	64	3342540839144
easy-to-use headlamp with red lighting.	PATZ)	E067AA01	Blue							3342540839151
450 lumens	NO.	E067AA02	Green	-						3342540839168
	HID.	E067AA03	Yellow	-						3342540839175
TIKKA®	Petro.	E061AA00	Gray	94 g	350 lm	70 m	110 h	MY	64	3342540839106
Compact, easy-to-use headlamp with red lighting. 350 lumens	AND S	E061AA01	Blue	_						3342540839113
	NUZ.	E061AA02	Green							3342540839120
	FEEDL	E061AA03	Yellow	-						3342540839137
TIKKINA® Compact, easy-to-use headlamp. 300 lumens	Pill S	E060AA00	Gray	92 g	300 lm	65 m	100 h	MY	64	3342540839069
	HEZ.	E060AA01	Blue							3342540839076
	Per Co	E060AA02	Green	_						3342540839083
	AEZA BO	E060AA03	Red	-						3342540839090
BINDI®		E102AA00	Black	35 g	200 lm	36 m	50 h	HU	112	3342540819801
Ultra-compact rechargeable headlamp designed for everyday athletic activities.	161	E102AA01	Orange	-						3342540819818
200 lumens	160	E102AA02	Emerald							3342540819825
TIKKID® Compact headlamp for	prn. O	E091BA00	Blue	80 g	20 lm	7 m	110 h	MY	50	3342540819771
children 3 years and older. 20 lumens	Atra. O	E091BA01	Pink							3342540819788
DISPLAY 12 TIKKID® Display box containing twelve TIKKID headlamps (six of each color)	PETA.	E091CA00	-	1900 g	20 lm	7 m	110 h	MY	1	3342540819795
e+LITE® Ultra-compact emergency headlamp. 40 lumens		E02 P4	Black	26 g	40 lm	15 m	9h30	MY	135	3342540815643

Compatibility

		NOCTILIGHT	SHELL	SHELL LT	CORE (1250 mAh)	(3200 mAh)	ACCU SWIFT® RL (2350 mAh)	R2 (3200 mAh)
PERFORMANCE H	eadlamps	prof.		<u> </u>				
DUO RL								•
DUO S								•
NAO® RL						•		
SWIFT® RL	Cons.	•		•			•	
ADVANCED Headla	amps							
IKO® CORE				•	•			
IKO®				•	•			
ACTIK® CORE	Prop.	•	•	•	•			
ACTIK®	Petra.	•	•	•	•			
ARIA 2 RGB	PER .	•	•	•	•			
DISCOVER Headla	mps							
ARIA 1 RGB	PM () (6)	•	•	•	•			
TIKKA® CORE	POL TO	•	•	•	•			
TIKKA®	Ma.	•	•	•	•			
TIKKINA®	HZ,	•	•	•	•			
BINDI®	To V			•				
TIKKID®	Petra.	•	•	•	•			
e+LITE®								

Compatible

[•] Compatible, included with headlamp

	Helmet Duo HELMET ADAPT	PRO ADAPT	UNI ADAPT	BIKE ADAPT 2	BIKE ADAPT	Mount for Bicycle Handlebars	Quick Charger	R1 Extension Cord
	•	•	•			•	•	
,	•	•	•			•	•	•
•			•	•				
			•					
•			•	•				
•			•	•				
•			•	•				
•			•	•				
			•					













































		Reference	Weight	Specifics	Made in	Case quantity	EAN code
Headlamp Accessories							
NOCTILIGHT Protective carrying case for Petzi's compact headlamps that diffuses light in lantern mode	Pean	E093DA00	85 g	-	CN	72	3342540817586
SHELL LT Headlamp storage and transport pouch		E075AA00	5 g	-	CN	468	3342540838963
SHELL L Pouch for compact headlamps	PER	E93990	41 g	-	CN	60	3342540081628
CORE Rechargeable battery compatible with Petzl headlamps featuring the HYBRID CONCEPT design	PETA	E99ACA	23 g	- Micro USB - Capacity: 1250 mAh	CN	32	3342540815612
R1 Rechargeable battery for the NAO® RL headlamp	PETA	E037AA00	80 g	- USB-C - Capacity: 3200 mAh	CN	100	3342540838222
SWIFT® RL Rechargeable Battery Rechargeable battery for the SWIFT RL headlamp		E092DB00	50 g	- USB-C - Capacity: 2350 mAh	CN	123	3342540841000
R2 Rechargeable battery for DUO RL and DUO S headlamps	Perz	E103CA00	168 g	- Quick wall charger - Capacity: 3200 mAh	CN	30	3342540839564
HELMET ADAPT Adhesive helmet mounting plate for Petzl headlamps		E073AA00	22 g	-	MY	112	3342540838949
Mount for Caving Helmet Front and rear plates for mounting DUO headlamps on caving helmets	ā:	E55940	40 g	-	FR	12	3342540089440

	Reference	Weight	Specifics	Made in	Case quantity	EAN code	
DUO HELMET ADAPT Accessory for mounting a DUO neadlamp on a Petzl helmet	E103BB00	35 g	-	-	32	3342540844028	
PRO ADAPT Adhesive accessory for mounting a DUO headlamp on a variety of different helmet types	E80004	48 g	-	MY	48	3342540105881	
UNI ADAPT Adhesive clip for mounting a Petzl neadlamp on a variety of helmet ypes (pack of 4)	E000BA00	10 g	-	MY	60	3342540828421	
BIKE ADAPT 2 Plate for mounting a Petzl neadlamp on bicycle handlebars or seat post	E074AA00	43 g	- Diameter: 20 to 34 mm - Compatible with all TIKKINA, TIKKA, TIKKA CORE, ACTIK, ACTIK CORE, ARIA 1 RGB, ARIA 2 RGB and SWIFT RL headlamps	MY	60	3342540838956	
BIKE ADAPT Plate for mounting a Petzl neadlamp on bicycle handlebars or seat post	E000AA00	40 g	- Diameter: 22 to 30 mm - Compatible with the BINDI headlamp	MY	60	3342540828438	
Mount for Bicycle Handlebars Plates for mounting DUO neadlamps on bicycle handlebars	E55930	175 g	-	CN	32	3342540089457	
Quick Charger Quick wall charger for R2 echargeable battery	E55800 UK	145 g 150 g	-	CN	36	3342540076259 3342540825758	
R1 Extension Cord Extension cord for the NAO® RL neadlamp	E105BA00	50 g	- Length: 1.1 m	CN	182	3342540841376	



	Reference	Weight	Specifics	Made in	Case quantity	EAN code
Cross Merchandising Tool for Headlamps Headlamp storage/display rack	Z002AV01	980 g	- Product dimensions: 1250 x 60 x 70 mm - Package dimensions: 1230 x 400 x 190 mm	FR	1	3342540842397
Countertop or Wall Display for Headlamps Adaptable countertop display stand on pegboard or slatwall for displaying up to 24 headlamps	Z002AB01	10 kg	- Product dimensions: 350 x 660 x 255 mm - Package dimensions: 360 x 260 x 670 mm	FR	1	3342540832206
Floor Display for 48 Sport Headlamps Floor stand for displaying up to seven headlamp models and storing up to 48 units	Z002AR01	38 kg	- Product dimensions: 1970 x 340 x 370 mm - Package dimensions: 1170 x 340 x 340 mm	FR	1	3342540842366



DESCENDERS



Upper Sheave for SIMPLE D04 EAN: 3342540001817



D09150

Upper Sheave for STOP D09 EAN: 3342540001930



Bobbin Spring for STOP D09 EAN: 3342540043947





U21700 GRIPTAPE grip tape EAN: 3342540070523



U19 GR2

GRIPREST QUARK EAN: 3342540089082



U19 TRI TRIGREST QUARK EAN: 3342540089075

MISCELLANEOUS



Steel DELTA n° 5 quick link EAN: 3342540004290

M090AA00



STRING, quickdraw sling protector that also maintains the orientation of carabiners in FINESSE slings

EAN: 3342540825987

CRAMPONS



LEVERLOCK, FLEXLOCK strap kit EAN: 3342540060685



T05960

ANTISNOW for VASAK and SARKEN EAN: 3342540071995

ANCHORS





EAN: 3342540008557

P36GA 10

Steel bolt for 10 mm hanger EAN: 3342540104228



P36GA 12

Steel bolt for 12 mm hanger EAN: 3342540104259

P36GS 10



Stainless steel bolt for 10 mm hanger EAN: 3342540104211



P36GS 12

Stainless steel bolt for 12 mm hanger EAN: 3342540104242

HEADLAMPS



E092EB00

Spare Headband for SWIFT® RL EAN: 3342540840997

E072AA00



Spare headband for TIKKINA®, TIKKA®, TIKKA® CORE, ACTIK® and ACTIK® CORE headlamps. (standard) EAN: 3342540838970

E072BA00



Spare headband for TIKKINA®, TIKKA®, TIKKA® CORE, ACTIK® and ACTIK® CORE headlamps. (reflective) EAN: 3342540838987

E068AA01



Spare Headband for ARIA (black) EAN: 3342540840652

E068AA02

Spare Headband for ARIA (camo) EAN: 3342540840669

E51999

Spare DUO headband EAN: 3342540076457



IT: Italy BD: Bangladesh KH: Cambodia BG : Bulgaria LK: Sri Lanka CN: China MY: Malaysia NL: Netherlands CZ: Czech PT: Portugal Republic DE: Germany RO: Romania

ES: Spain TN: Tunisia TR: Turkey FR: France GB: Great Britain TW: Taiwan VN: Vietnam HU: Hungary



Product	Reference	Page	Product	Reference	Page	Product	Reference	Page
8003	C05 1N/2N	33	CLASSIQUE 22	C03 2	106	Е		
Α			CLUB 10 mm	R39AO 040/060/07 R39AW 040		e+LITE®	E02 P4	129
			CLUB + 10 mm	R039AA00/1/2/3	56 53, 56	ELASTIC STRAP	U001CA00	81
ACTIK®	E063AA00/1/2/3	127	COEUR BOLT HCR	P36BH 12	99	Equipment holder for		
ACTIK® CORE	E065AA00/1/2/3	127	COEUR BOLT	1 00011 12		Equipment notaer it	C086GA00	35
ADAM	T001AA00/1/2/3/4	100	STAINLESS	P36BS 10/12	99	ERGONOMIC	U022AA00	72
ADJAMA	T001AA05/6/7/8/9 C022CA00/1/2/3	109	COEUR BOLT STEE		99	EVE	T002AA00/1/2/3	109
ALCANADRE CLUB		28, 32	COEUR HCR	P36AH 12	99	EVOLV ADJUST	L035DA00	95
ALCANADRE CLUB	S064AA00	106	COEUR PULSE	G037BA00	100	EXPLO	C027AA00	34
ALCANADRE GUIDE	E 45		COEUR STAINLESS		99	EXPRESS	C040CA00/1/2	64
	S064BA00	106	COEUR STEEL	P36AA 10/12	99	F		
ALTITUDE®	C019BA00/1/2	32	COLLINOX	G100AA00	100			
ALTO	K02AO	103	Comfort foam for CA			FAKIR pouch	V01	81
Am'D	M34A SL/BL/RL	62	CONGA® 8.0 mm	C086FA00 R42AB 020/030	35 57	FIFI	V12	108
AMPOULE	04004400	100	CONNECT ADJUST		95	FIL	T03A FIL	79
BAT'INOX	G103AA00	100	CONTACT® 9.8 mm	R33AC 060/070/08		FIL FLEX	U011AA00	79
AMPOULE COLLINOX	G101AA00	100	CONTACT 9.0111111	R33AD 060/070/080		FIL FLEX SMALL	U012AA00	79
ANGE FINESSE	M057AA00/1 M057E		CONTACT® WALL	R33AC 030		FIL FLEX WIDE	U013AA00	79
ANGLINEGOL	M057CA00	64	9.8 mm	R33AD 040	55	FIL TELEMARK FINESSE	T03600 C042AA00/1	79 64
ANGE L	M59 B/G	63	CORAX	C051AB00/1, C051I	BB00/1,	FLEX	T03A BS	79
ANGE S	M57 O/G	63		C051CB00/1	33	Floor display for 48		
ANNEAU	C40A 60/80/120/150		CORAX LT	C052AB00/1/2/3/4		headlamps	Z002AR01	134
Anodized, fixed brak	(e			C052AB05/6/7/8/9	33	FLY	C002BA00/1/2	32
bar for RACK	D11300	47	CORAX LT WOMEN		0.0	FIXE	P05SO	87
ANTISNOW DART	U001DA00	80	0000 TEO	C052AB05/6/7/8/9	33	FOOTAPE	C47A	85
ANTISNOW			CORD-TEC pouch	U003BA00	81	FOOTCORD	C48A	85
LEOPARD	T01A AS	80	CORD-TEC	TO1A COD	81	FREELOCK	U81000	73
ANTISNOW LYNX®	U020AA00	80	replacement cord Cords	T01A COR R044AA00 R045AA		FREINO	M42	63
ANTISNOW	T03A AS, T05A AS	80	Corus	R046AA00 R047AA		FREINO Z	M042AA00	47
AQUILA	C037BA00/1/2/3	32	CORE	E99ACA	132			
ARIA 1 RGB	E069BA00/1	129	CORDEX	K52 SN/MN/LN/XL		G		
ARIA 2 RGB	E070BA00/1	127	001.1527	XST/ST/MT/LT/XLT	107	GEMINI	P66A	87
ARIAL® 9.5 mm	R34AC 060/070/080 R34AD 060/070/080	55	CORDEX PLUS	K53 SN/MN/LN/XL		GLACIER	U025AA00/01/02/	
ASCENSION	B17ALA B17ARA	85		XST/ST/MT/LT/XLT	107	GLACILIT	0020/4/00/01/02/	69, 72
ATTACHE	M038AA00/1	62	COUDEE	G105AA00	100	GLACIER LINKIN	U026AA00/01/02/	
ATTACHE BAR	M038CA00	62	Countertop or wall d		3			70, 72
AVEN	C013AA00/1	34		Z002AB01	134	GO 8 mm	P015AA00/1	101
AXESS	C041BA00/1/2	64	CRAVATE CROSS	7000 N /04	101	GOUTTE D'EAU	P06 2	108
7 VALOO	00+10/100/1/2		MERCHANDISING	Z002AV01	134	GRADISTEP	C08	108
В			CROLL® L	B016AA00 B16BAA	85	GRIGRI®	D014BA00/1/2	46
D (NEOTIN	00004400	107	CROLL® S Cutaway sling for CA		85	GRIGRI® +	D13A G/AG/VI	46
Bag for NEST litter	S062AA00	107	Cutaway Siirig for CA	C086DA00	35	GRIPREST	1100000100	70
BACK FLEX BACK LEVER	U018AA00 U017AA00	79 79	Cutaway sling for CA			ERGONOMIC GRIPREST NOMIC	U022CA00	73 73
BANDI	S038BB00/1/2/3/4	105	Outaway siirig ioi o/	C086EA00	35	GULLY	U021DA00 U014AA00 U014B	
BAR	M029AA00	63				GULLY	0014AA00 0014B	AUU 12
BARRETTES	T03A BA	79	D			Н		
BASIC	B18BAA	85	D-LYNX	T25	70			
BAT'INOX	G102AA00	100	DART	U001AB00	78	HELMET ADAPT	E073AA00	132
BIKE ADAPT	E000AA00	133	DART crampon	UUUTABUU	78	HIRUNDOS	C036BA00/1/2/3,	00
BIKE ADAPT 2	E074AA00	133	front sections	U001EA00	80	LILIIT	C036CA00/1/2/3	32
BINDI®	E102AA00/1/2	129	DELTA	P11	101	HUIT HUIT ANTIBRULUR	D02	46
BODY	C018BA00	34	DEMI ROND	P18	101	HUIT ANTIBRULUR	E DUI	40
BOLTBAG	C11 A	101	DISPLAY 12 TIKKID®		129			
BONGO	P27	101	DJINN	M060LA00, M060L				
BOREA®	A048AB00/1/2	40		M060LB01	63	ICE	U19 ICE	73
BOREO®	A042VA00/1/2/3/4/5/	6	DJINN AXESS	M060LC01/2/3/4	64	IKO®	E104AA00	127
	A042VA07/8/9	40	DJINN AXESS			IKO® CORE	E104BA00	127
BOREO® CAVING	A042SA02/3	41	6-Pack	M060LC05	64	IRVIS®	U006AA00, U006	BA00 78
Brake bar w/o hook			DRY	U19 DRY	73	IRVIS® crampon front sections	T03A AV	80
for RACK	D11200	47	DUAL CANYON	1.0004.000		IRVIS® HYBRID	U031AA00	78
BUG	S073AA00/1	105	CLUB	L086AC00	95	חוחמווו סואוו		
С			DUAL CANYON GUIDE	L086BC00	OF.	K		
				L002AB00	95	14T 0 0 - 11 1 - 1	10 10 1/222	
CANYON CLUB	C086AA00	34	DUAL CAVING DUAL CONNECT	LUUZADUU	95	KIT CORAX GRIGR		
CANYON GUIDE	C086BA00/1	34	ADJUST	L035CA00	95	KIT CORD-TEC	U001GA00	81
CARITOOL	P42	35	DUFFEL 65	S045AA02	106	KIT SECOURS	KU35 / / / / /	07 07
CARITOOL EVO	P043AB00	35	DUFFEL 85	S045AA02	106	CREVASSE	K025AA00	87, 97
CARNET	S90 - S91	108	DUO HELMET ADAF		100	KIT VIA FERRATA EASHOOK	K029DD00/1	97
CAVING LINE 7 mm		54, 57	200 / ILLINE I / IDAI		31, 133	KIT VIA FERRATA	1.020000/1	
CEINTURE	C010AA00/1	109	DUO RL	E103AA00	125	VERTIGO	K029CD00/1	97
CIRRO	K01AO	103	DUO S	E80CHR, E80CHR		KLIFF	S010AA00/1	57, 106

Product	Reference	Page	Product	Reference	Page	Product	Reference	Page
			POWER LIQUID	S035AA00	105	SPIRIT	M061AB00/2/3/4/5/	6 63
_			PRO ADAPT	E80004	133	SPIRIT EXPRESS	M061AC00/1/2	64
LASER	G050AA00/1/2	99	PROTEC	R003AA00	101	SPLIT	S013AA00/1	57
LASER PROTECTIO	N U024AA00	99	Protective seat for			ST'ANNEAU	C07 24/60/120	101
LASER SPEED	G051AA00/1/2	99	CANYON harnesses	C086CA00/1/2	34	STEF	S059AA00	107
LASER SPEED			Pulley for SIMPLE	D004CA00	47	STEF for NEST litter	3039AA00	
LIGHT	G052AA00/1/2	99	PULSE 8 mm	G037AA00	100		CUEUDAUU	107
LASER SPEED			PUR'ANNEAU	G006AA00/1/2	101	before 2020	S059BA00	107
10 cm	G051AA03	99	PUR'DRY	U022BA00	73	STOP	D009AA00	46
LEOPARD	U004BA00/U004AA		PUR'ICE	U021CA00	73	STRING M	M090BA00	64
LINKIN	U082AA00	73	PUR LINE 6 mm	R010AA00/1	57	SUM'TEC	U015AA00 U015B	
LIVANOS	65504 65506		PUSH 9 mm	R40AO 040/060/07	70	SUMMIT®	U13B 052/059/066	6 72
	65508 65510	100		R40AW 040	56	SUMMIT® EVO	U14B 052/059/066	5 72
LOOPING	C25	108	PUSH + 9 mm	R040AA00/1/2/3	52, 56	SUPERAVANTI	C012AA00/1	34
LUNA	C035CA00/1/2/3	30, 34				SWIFT® RL	E095BB00/1/2	125
LYNX®	U034AA00	78	Q			Swinging brake bar		
LYNX® crampon	11000 4 4 0 0	00	QUARK	U019BA00 U019A	400 72	with hook for RACK	D11250	47
front sections	U023AA00	80	Quick charger	E55800/E55800 U		SWIVEL S	P58 S	101
LYNX® front point kit	T24850	80	QUICKSTEP	C09	108	OVVIVELO	1 00 0	
M				009	100	Т		
MACCHU®	C015AA00/1	34	R			TAM TAM	P16	101
MAILLON RAPIDE N		108	R1	E037AA00	132	TANDEM®	P21	87
MAMBO® 10.1 mm	R32AC 050/060/07		R1 Extension Cord	E105BA00	133	TANDEM® SPEED	P21 SPE	87
	R32AD 050/060/070		R2	E103CA00	132	TANGO® 8.5 mm	R20AW 050/060	
MARTEAU	U19 MAR	73	RACK	D11	46	IANGO: 0.0 IIIII	R20AB 050/060	56
MASSELOTTES	U021EA00	73	RAD LINE 6 mm	R011AA00/1	57	TADD		
METEOR	A071AA02/3,		RAD SYSTEM	K011AB00	97	TARP	S012AA00	57, 106
WETEOH	A071CA00/1	40	Rechargeable batter	У		TIBLOC	B01B	85
METEORA	A071DA00/1	40	for SWIFT® RL	E092DB00	132	TIKKA®	E061AA00/1/2/3	129
MICRO TRAXION	P53	87	REGLETTE	P06 1	108	TIKKA® CORE	E067AA00/1/2/3	129
MINI	P59A	87	Replacement foam			TIKKID®	E091BA00/1	129
MINI MARTEAU	U021BA00	73	for CLUB helmets	A042MB01	41	TIKKINA®	E060AA00/1/2/3	129
MINI TRAXION	P054AA00	87	Replacement foam			TORSE	C026AA00	34
Mount for	FUJ4AAUU		for Petzl helmets	A042MA00	41	TOUR	C020BA0/1/2	33
caving helmet	E55940	132	RESCUE	P50A	87		S042AA00/1	
Mount for Bicycle	L00040	102	REVERSO®	D017AA00/1/2	46	TRANSPORT 30		106
Handlebars	E55930	133	RIDE	U04A 45	72	TRANSPORT 45	S042BA00/1	106
MULTIHOOK	U002AA00	99	ROCHA	M027AA00/1	62	TRANSPORT 60	S042CA00/1	106
WOLTHOOK	0002/1/100		ROCHER MIXTE	65106 65108 65110	100	TRIGREST	U016AA00	73
			ROCPEC	P26	101			
			ROCPEC ADP	P26250	101	U		
NANO TRAXION	P053AA00	87	RUMBA® 8 mm	R21BR 050/060		U	65312 65314	100
NAO® RL	E105AA00	125		R21BB 050/060	56			
NEOX®	D016AA00/1/2	46				ULTRALEGERE	P00A	87
NEST	S061AA00	107	S			ULTRALIGHT pouch		81
NIMBO	K03AO	103	SAKA	S039BB0		UNI ADAPT	E000BA00	133
NOCTILIGHT	E093DA00	132	SANA	0/1/2/3/4	105	UNIVERSEL	P17 5/7/9	100
NOMIC	U021AA00	72	SAKAB	S037AA00	105			
			SAKOVER	S036AA00	105	V		
0			SAKAPOCHE	S040AB00/1/2	105	VOONIOUE	00007.00011	100
ОСТО	U010AA00	99	SAMA	C021CA0	103	V CONIQUE	66007 66011	100
OK	M33A SL/TL/BL	62	ONIVIA	0/1/2/3/4/5/6/7	30, 32	V-LINK	U083AA00	73
OMNI	M37 SL/TL	63	SARKEN	U008AA00	78	VASAK®	U007AA00 U007B	A00 78
OSCILLANTE	P02A		SARKEN crampon	0000AA00	10	VASAK® crampon		
		87	front sections	T10A AV	80	front sections	T05A AV	80
OUISTITI	C068AA00	34	SEGMENT 8 mm	R076AA06	57	VERSO	D019AA00/1	46
Р			SCORPIO® EASHOO		92, 95	VERTIGO		
			SCORPIO® EASHOO		32, 33	WIRE-LOCK	M040AB00	63
Pack of 6 SPIRIT			300hFio" EA3H00	L060CB00	91, 95	VOLTA® 9.2 mm	R35AN 050/060/0	
carabiners	M061AB01	63	SCORPIO® VERTIGO		94, 95		R35AO 030/050/0	
PANNE	U19 PAN	73	SCORPIO® VERTIGO		J-, JJ		070/080/100	55
PANTIN®	B02CLA B02CRA	85	OCCINIO VENIGO	L060DB00	93, 95	VOLTA®	R36AO 030/040/0	
PARTNER	P52A	87	SELENA	C055CA0	00, 00	GUIDE 9 mm	R36AO 030/040/03	
PASO® GUIDE	R22BG 050/060/07		OLLLINA	0/1/2/3/4/5/6/7	30, 32			55
7.7 mm	R22BO 050/060/07		SHELL L	E93990	132	VOLTIGE	C60	33
PAW S	G063AA00	101	SHELL LT	E075AA00	132	VRILLEE	G104AA00	100
PERFO SPE	P08	101	SHUNT	B03B	108	\		
PERSONNEL 15	S44Y 015	106	SIMPLE	D004AA00		W		
Petzl book	Z180 FR/ES, Z18001		SIROCCO®		46	WILLIAM	M36A SL/BL	62
PICCHU	A049AA00/1	40		A073DA00/1/2/3	40			
PICK AND SPIKE	, 10-10/1/100/ I		SITTA	C011AA00/1/2/3	32	WHISPER	C003AA00/1/2/3	27, 32
PROTECTION	U084AA00	71, 73	Sm'D	M39A SL/RL	62	V		
PIRANA CLUB	D005BA00/1	47	Sm'D WALL	M39A S	63	Y		
PIRANA GUIDE	D005BA00/1	47	SPATHA	S92AY/S92AB	108	YARA CLUB 15	S065AB00	106
POWER CRUNCH	S034AA00/1/2		SPEEDY	G106AA00	101		S065BB00	106
OVER CRUINCH	3UU4AAUU/ 1/2	105	SPIRIT	M061AA00	63	YARA GUIDE 25	JUUJDUU	106





Rope access work often involves environments at significant height. Work done in confined spaces entails challenges related to the lack of space and lack of means of autonomous progression.



Not all tree work can be done using exterior means such as elevated platforms or ladders. In this case, to move and work, arborists use rope progression techniques.



Framing and Roofing

At this type of work site, the risk of slipping and falling is higher. A fall-arrest system must therefore be installed to guard against these hazards.





Self-Rescue

Firefighters who find themselves trapped inside a burning structure must be prepared for self-evacuation and have the appropriate equipment on hand.



Hazardous Areas

Where there is risk of explosion, the hazardous locations are classified by zone (ATEX and/or HAZLOC). All of the materials used must therefore conform with current regulations for this type of zone.





Maintenance and Workshops

Professionals working at concerts and shows, in workshops, in maintenance, or in the energy and networks sector all require practical and lightweight headlamps on a daily basis.



Tactical, Special Forces

Tactical operations in a hostile environment require maximum safety in every situation, so being able to count on the quality and performance of the equipment is essential.



Exploring New Horizons

The Petzl Foundation's mission is to support and initiate public interest projects through its activities in mountainous and vertical domains; projects that help bring balance to humankind's place in its natural, cultural, and economic environments. The foundation supports non-profit organizations through financial and equipment grants, as well as consultation and training.

Our courses of action:







Prevent accidents in vertical environments

Encourage mountain exploration

Support ecological transition in mountainous areas

New Winter Routes on the Geoportail for Safer Winter Hiking





The new orange lines propose optimized routes in order to avoid avalanche-prone terrain.

Having previously encouraged the distribution of slope maps, the Petzl Foundation and Skitourenguru.ch took it upon themselves to digitize the winter hiking routes in the Alps and make them available via the Géoportail website. By November 2023, 3,000 itineraries had already been published on the Geoportail, the IGN national land information portal.

Since autumn 2021, the Petzl Foundation and Skitourenguru.ch have been digitizing all the classic ski touring and snowshoeing routes in the French Alps. Nearly 4,000 routes have now been plotted using a type of mapping software known as a Geographic Information System (GIS). The idea is to plot the safest routes, avoiding terrain prone to avalanches wherever possible. The digitized map can display several layers of information, enabling the user to steer clear of the most hazardous areas. On a standard 1:25,000 IGN map, the system can overlay a slope map, an Avalanche Terrain Hazard Map (ATHM), a satellite photo of summer or winter conditions, and collections of GPS tracks logged by individuals during their

outings in order to document the actual routes they took.


Some routes feature tricky sections where there is a risk of slipping dangerously (risk of impact or falling from a great height). An algorithm is used to identify these sections. They appear as a series of dots instead of a solid line. You can access this new collection of routes on the Géoportail by typing "rando hiver" in the search bar, and on most web or mobile mapping applications (Skitourenguru.ch, Yéti, Iphigénie...).

If you believe a route or a tricky section is incorrect, you can flag it by emailing randohiver@fondation-petzl.org.

In partnership with: project supported by the Petzl Foundation, along with the IGN and Skitourenguru.ch.


Country: France

Support: €140,000 since 2016



Order products and download information easily

Petzldealer.com, the Petzl retailer website



Easily access all of our offerings

- Navigate easily and intuitively
- Direct access to our latest products

Manage your products, down to the smallest details

- Comprehensive information on each product
- Documents to inform and advise your clients

Order with complete peace of mind

- Thee direct access points to order your products
- Absolute pricing transparency
- Real-time status of Petzl inventories

Track your orders

- Precise status of your current orders
- Personalized order tracking

Download Information

Quickly find your choice of Petzl information for download.

© PETZL 2024

Product photos Yannick Siegel Aurélie Jeannette Kalice - www.kalice.fr

Printed by FOT

Photos on page 3:

© Petzl distribution - Rémi Flament-EDF-Batakarst-Acrosys, Stef Candé, Coll. Petzl/Pierre Chevaller, Coll. Pierre Petzl/Joseph Berger, Matt Charland, Marc Daviet-Cerne Arboricultura, Rémi Flament, James ROH-SLC Fire Dpt, Julian Bueckers, Nicole Swenson, Arnaud Childeric, Vuedici.org-3Ker Ras Group-ABO Glasreinigung-Elbphilharmonie, Sam Bié, Vuedici.org-Profil-DTTM 13 Catalog printed on recycled paper, made mostly of post-consumer waste. Using non-chlorine bleach, its production respects the environment by reducing energy consumption, as well as air and water pollution.

Made with 100 % recycled paper





ACCESS inaccessible®



To find a Petzl retailer near you or anywhere in the world, go to:

www.petzl.com/dealers

 \downarrow Mat Blanchard, trail running, Alps, France © 2023 - Petzl Distribution - Anthony Deroeux

Z019EN07

ENGLISH







